

A.M.	Βαθμός A	Όλο A %	Γελικό A %	Πρόοδος %	ΜΟ 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30												
277	5.0	47.6	36	43	70.00	8.0	5.0	8.0	9.0	4.0	9.0	5.0	6.0	8.0	6.0	7.0	6.0
340	5.5	52.9	40	54	73.64	9.0	7.0	8.0	8.0	3.0	8.0	10.0	3.0	8.0	7.0	7.0	6.0
356	5.5	56.6	49	56	70.00	9.0	6.0	8.0	6.0	3.0	8.0	10.0	0.0	7.0	7.0	7.0	6.0
405	8.0	78.1	68	89	87.73	10.0	9.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	0.0	8.0	0.0
444	0.0	0.0		63	82.27	10.0	7.0	8.0	9.0	6.0	10.0	9.5	7.0	7.0	0.0	9.0	8.0
720	0.0	0.0		4	29.55	0.0	1.0	5.0	6.0	0.0	8.0	5.0	3.5	4.0	0.0	0.0	0.0
1115	2.0	20.0	20	47	65.45	9.0	7.0	9.0	9.0	7.0	8.0	7.0	4.0	7.0	0.0	0.0	5.0
1198	0.0	0.0		0	0.00												
1439	0.0	0.0		54	75.45	7.0	6.0	8.0	9.0	8.0	8.0	8.0	0.0	9.0	6.0	7.0	7.0
1466	0.0	0.0		0	0.00												
1505	1.5	17.0	17	60	86.36	9.5	8	9.5	7.5	8	9	9	8	9	9	8.5	0
1560	5.0	52.3	35	52	81.36	8.5	9.0	8.0	8.5	8.5	9.0	9.0	9.0	7.0	7.0	6.0	0.0
1561	0.0	0.0		56	42.27	0	7	7.5	3.5	0	7	8.5	4	5	4	0	0
1574	9.0	88.6	83	95	93.64	9.0	9.0	9.0	8.0	9.0	9.0	10.0	9.0	10.0	9.0	10.0	10.0
1578	0.0	0.0		0	0.00												
1584	0.0	0.0		0	0.00												
1585	0.0	0.0		0	0.00												
1586	0.0	0.0		34	36.82	0	0	2	5.5	0	8	8	4	6	7	0	0
1587	5.5	54.8	44	48	77.27	9.0	9.0	8.0	9.0	6.5	8.5	8.5	6.5	6.0	7.0	7.0	0.0
1591	6.5	66.7	48	77	90.91	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	9.0	7.0	0.0
1599	0.0	0.0		35	54.55	9.0	9.0	7.0	6.0	7.0	0.0	5.0	4.0	7.0	0.0	6.0	0.0
1603	2.5	24.0	24	51	89.55	9.0	10.0	9.5	9.0	9.0	9.0	9.0	8.0	8.0	9.0	9.0	0.0
1607	0.0	0.0		0	14.55	9.0	0.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1611	5.5	52.8	40	48	77.27	9	9	8.5	9	8	7.5	8.5	4	8	5.5	8	0
1620	6.5	66.6	48	76	91.36	10	9.5	9	10	8.5	10	10	6	0	9	10	8.5
1658	3.5	33.0	33	62	87.27	8.5	9.5	9.5	9.0	9.0	8.5	9.0	8.0	7.5	9.0	8.5	4.0
1670	0.0	0.0		0	15.45	5.0	6.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1682	0.0	0.0		0	42.73	7.0	6.0	7.0	7.0	0.0	7.5	7.5	5.0	0.0	0.0	0.0	0.0
1696	0.0	0.0		61	62.73	8.0	0.0	6.0	6.0	8.0	9.0	8.0	4.0	8.0	0.0	9.0	3.0
1714	6.5	66.6	53	68	88.18	10.0	9.5	9.5	10.0	0.0	10.0	10.0	7.5	10.0	9.0	6.5	5.0
1731	6.0	59.6	36	78	86.82	9.0	9.5	10.0	10.0	0.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0
1736	0.0	0.0		0	38.64	7.0	5.0	7.0	4.0	0.0	7.5	7.0	5.0	0.0	0.0	0.0	0.0
1737	0.0	0.0		0	42.27	9.5	9.5	10	8.5	9	0	0	0	0	0	0	0
1743	0.0	0.0		0	31.82	8.0	9.0	9.0	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1747	3.0	31.0	31	33	76.36	8.5	9.0	10.0	8.5	0.0	8.0	8.0	5.5	7.5	7.5	7.5	4.0
1750	6.0	61.1	42	65	90.45	8.5	8.5	9.0	8.0	8.5	8.5	9.5	10.0	8.0	10.0	10.0	9.0
1766	6.0	60.7	38	70	92.27	10	10	10	10	8.5	9.5	10	7	7.5	9	10	0
1769	3.0	28.0	28	67	71.82	10	10	9	10	0	9	0	7	10	6	8	0
1775	0.0	0.0		0	20.91	8.5	7.0	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

A.M.	Βαθμός A	Όλο A %	Γελικό A %	Πρόοδος %	ΜΟ 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30												
1781	3.0	29.0	29	41	79.55	8.0	8.0	9.0	8.0	8.0	8.0	7.0	7.0	9.0	7.5	8.0	0.0
1799	1.5	13.0	13	43	71.82	9.0	9.0	8.0	9.0	7.0	8.0	8.0	7.0	3.0	3.0	8.0	3.0
1806	6.0	58.8	35	79	85.00	8.0	10.0	8.0	8.5	8.5	9.0	9.0	8.0	7.5	8.0	9.0	0.0
1817	0.0	0.0		25	17.73	0.0	7.0	6.0	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1821	5.5	57.3	37	78	77.73	9.0	7.5	9.0	8.5	5.5	8.5	8.0	0.0	7.5	6.0	8.0	8.0
1824	2.5	26.0	26	75	87.27	9.0	10.0	7.5	10.0	7.5	9.0	0.0	7.0	9.0	9.0	10.0	8.0
1829	5.5	55.1	56	43	61.82	8.0	8.0	7.0	9.0	7.0	7.0	8.0	2.0	5.0	7.0	0.0	0.0
1830	1.5	16.0	16	29	81.36	9.5	9	9.5	10	8	8	9	6	5	7	7.5	6
1832	2.5	23.0	23	56	71.36	8.0	7.5	8.0	6.5	6.5	9.0	8.0	4.0	8.0	6.0	4.0	7.0
1833	5.5	56.0	46	40	83.18	10.0	8.0	9.5	8.5	8.0	10.0	7.0	7.0	8.0	7.5	8.0	0.0
1834	3.0	30.0	30	61	83.18	9.0	8.0	8.0	9.0	7.5	9.0	9.0	2.5	8.0	7.0	9.0	8.0
1836	2.0	22.0	22	42	77.27	8.5	8.0	9.0	8.5	7.0	8.0	8.5	0.0	7.5	8.5	7.5	4.0
1838	3.0	32.0	32	73	82.27	10.0	9.5	8.0	9.0	8.0	9.0	9.0	7.0	8.0	9.0	0.0	4.0
1847	3.0	31.0	31	58	91.82	10.0	7.0	8.0	9.0	8.5	8.5	10.0	10.0	8.0	10.0	10.0	9.0
1853	2.0	19.0	19	68	80.45	8.0	8.0	9.5	9.0	8.0	9.0	9.0	4.0	9.0	8.5	6.5	0.0
1858	0.0	0.0		70	80.91	9.0	10.0	10.0	8.0	7.0	8.0	8.0	7.0	7.0	8.0	7.0	0.0
1861	3.0	31.0	31	61	85.91	9.5	10	10	9	7	9.5	9	8	6.5	9	7	0
1870	3.0	32.0	32	15	63.64	8.0	9.0	7.0	8.0	7.0	7.5	5.0	4.5	8.0	0.0	6.0	0.0
1874	2.0	19.0	19	59	75.45	8.0	6.5	8.0	8.0	8.0	8.5	8.5	5.0	7.5	7.5	7.5	4.0
1877	3.0	31.0	31	66	79.09	9.5	10	10	5.5	7.5	7.5	9	5	9	8	6	0
1883	3.0	32.0	32	60	49.09	9.0	0.0	5.0	7.0	6.0	7.0	0.0	4.0	5.0	4.0	0.0	7.0
1885	0.0	0.0		52	64.09	7.0	9.5	8.0	7.0	7.0	8.0	7.5	4.5	7.0	5.0	0.0	0.0
1886	6.0	60.3	37	85	82.73	9.0	8.0	9.0	10.0	8.0	9.0	7.0	8.0	0.0	9.0	7.0	7.0
1887	0.0	0.0		0	0.00												
1888	0.0	0.0		20	12.73	0.0	0.0	0.0	0.0	0.0	7.5	0.0	6.5	0.0	0.0	0.0	0.0
1890	1.5	17.0	17	38	75.91	10.0	9.5	8.0	8.0	8.0	8.5	8.5	5.0	6.0	4.0	5.0	7.0
1892	0.0	0.0		0	0.00												
1893	0.0	0.0		0	0.00												
1895	0.0	0.0		0	0.00												
1898	0.0	0.0		0	0.00												
1901	6.5	66.5	58	58	86.82	9	9.5	10	9	7.5	9.5	9	6	9	8.5	8.5	0
1905	0.0	0.0		0	0.00												
1906	2.0	22.0	22	26	71.36	9	8.5	8.5	9	7	7.5	8	4	0	5	7	5
1909	1.0	9.0	9	45	65.45	8.0	7.0	0.0	9.0	7.0	8.0	8.0	6.0	9.0	10.0	0.0	0.0
1914	3.0	29.0	29	66	82.27	0	9	8.5	9	7	8	9.5	7	10	9	7	6.5
1916	2.0	18.0	18	60	54.55	7.5	6.5	7.5	6.5	5.5	6.5	6.0	1.0	3.0	4.0	6.0	0.0
1918	0.0	0.0		0	0.00												
1921	0.0	0.0		38	65.00	8.0	7.0	7.5	5.0	7.0	9.0	7.0	7.0	5.0	5.0	4.0	0.0
1922	0.0	0.0		25	60.00	7.0	7.0	7.0	7.0	7.0	7.0	6.0	4.0	5.0	4.0	5.0	0.0

A.M.	Βαθμός A	Όλο A %	Γελικό A %	Πρόοδος %	ΜΟ 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30												
1929	2.0	21.0	21	14	67.73	8.0	6.5	7.5	7.0	7.0	6.5	6.0	4.0	7.0	6.0	6.0	7.0
1930	5.5	55.0	47	47	73.64	8.5	7.0	9.0	8.0	8.0	6.5	8.0	4.0	0.0	7.0	8.0	7.0
1932	1.0	10.0	10	50	70.91	8.0	9.0	9.0	7.0	6.0	7.0	6.0	6.0	6.0	7.0	7.0	3.0
1934	3.0	31.0	31	68	48.64	7.5	7.0	7.0	8.0	5.0	7.0	4.0	1.0	3.0	4.0	0.0	0.0
1938	2.0	22.0	22	0	64.09	8.0	7.0	6.0	5.0	6.0	6.0	7.0	5.0	6.0	7.0	7.5	0.0
1941	5.0	51.9	43	32	80.00	8.0	8.0	9.0	8.0	9.0	0.0	9.0	6.0	7.0	8.0	9.0	7.0
1945	2.0	20.0	20	60	79.09	8.0	10.0	9.0	9.0	8.0	9.0	8.0	6.0	6.0	7.0	7.0	0.0
1946	2.0	19.0	19	39	68.18	8.0	7.0	8.0	7.0	7.0	8.0	8.0	5.0	8.0	9.0	0.0	0.0
1949	1.5	13.0	13	53	82.27	8.5	8.5	7.5	7.5	10.0	8.5	10.0	8.0	8.0	6.0	8.0	0.0
1950	0.0	0.0		0	0.00												
1952	0.0	0.0		82	83.64	9.0	9.0	6.0	9.0	7.0	10.0	10.0	8.0	8.0	8.0	8.0	0.0
1958	7.0	70.6	50	85	95.45	10	9	10	9	8.5	10	10	9.5	10	9	10	0
1959	3.0	29.0	29	80	82.73	8.5	8.0	7.5	10.0	9.0	7.0	8.5	4.5	8.5	8.0	9.0	7.0
1960	0.0	0.0		0	0.00												
1963	0.5	7.0	7	53	55.91	0.0	9.5	5.0	9.0	8.0	9.0	7.0	0.0	0.0	0.0	7.0	7.0
1964	6.5	66.3	55	74	80.00	8.0	9.0	8.0	9.0	9.0	8.0	6.0	7.0	8.0	8.0	8.0	0.0
1968	2.5	27.0	27	46	72.73	8.0	9.0	7.0	8.0	7.0	8.0	8.0	5.0	6.0	7.0	7.0	3.0
1970	5.0	49.3	41	20	82.73	8.0	8.0	9.0	8.0	9.0	9.0	8.0	6.0	8.0	8.0	9.0	7.0
1975	2.5	26.0	26	25	61.36	9.5	9.0	8.5	0.0	0.0	7.0	6.5	0.0	7.5	8.5	7.0	4.0
1983	0.0	0.0		0	0.00												
1984	3.0	28.0	28	34	78.18	9	8	9.5	8	7.5	9	8	6	8.5	6	6.5	0
1985	7.0	71.5	65	60	90.00	9.0	9.0	10.0	8.5	10.0	8.5	9.0	8.0	9.5	8.0	9.0	8.5
1986	2.5	25.0	25	75	76.36	8.0	10.0	10.0	9.0	10.0	8.0	10.0	7.0	7.0	5.0	0.0	0.0
1987	0.0	0.0		0	0.00												
1988	7.0	68.3	51	69	96.82	9.5	9.5	10	9.5	10	10	9.5	9.5	9.5	9.5	10	0
1989	1.5	15.0	15	45	75.00	0	9.5	8.5	9.5	7.5	8.5	8	8.5	8.5	0	7.5	6.5
1991	3.0	32.0	32	44	54.55	7.0	6.0	8.0	5.0	6.0	6.0	5.0	0.0	5.0	5.0	7.0	0.0
1992	5.0	52.5	41	48	75.45	9.0	9.0	9.0	8.0	7.0	8.0	7.0	6.0	6.0	7.0	7.0	3.0
1996	5.5	55.0	42	56	75.91	8.5	8.0	7.5	10.0	8.5	8.5	8.0	5.0	8.5	5.0	6.0	0.0
1997	8.5	83.4	78	83	92.73	9.5	8.5	0.0	8.5	10.0	9.0	10.0	9.5	10.0	9.0	8.5	9.5
1998	7.0	71.2	63	62	90.91	10.0	8.0	10.0	10.0	8.0	9.0	10.0	7.0	8.0	10.0	10.0	0.0
2000	5.5	54.1	39	57	77.27	8	7.5	9.5	8.5	0	9	8.5	4	7	7.5	7.5	8
2001	2.5	25.0	25	60	81.36	8.5	6.5	8.0	10.0	9.0	8.5	9.0	7.5	8.5	6.0	8.0	6.0
2004	5.5	54.2	37	62	77.73	10.0	7.0	6.5	7.0	7.5	8.5	8.5	7.5	8.5	6.5	7.0	7.5
2005	0.0	0.0		0	20.91	9.0	0.0	8.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2007	0.0	0.0		57	56.36	7.0	2.0	9.0	8.0	7.0	8.0	7.0	4.0	5.0	2.0	3.0	0.0
2008	1.5	14.0	14	32	64.55	8.0	7.5	7.5	7.0	7.0	6.5	6.0	4.0	0.0	4.5	6.0	7.0
2012	0.0	0.0		0	0.00												

A.M.	Βαθμός A	Όλο A %	Γελικό A %	Πρόοδος %	ΜΟ 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30												
2013	0.0	0.0		28	70.00	10	9	10	10	9.5	10	0	0	7	0	6	5.5
2014	0.0	0.0	0	29	72.73	8.0	8.0	10.0	7.0	8.0	8.0	8.0	6.0	6.0	8.0	3.0	0.0
2017	8.0	78.4	67	90	90.00	8.0	10.0	10.0	10.0	8.0	10.0	9.0	8.0	9.0	9.0	8.0	3.0
2018	1.0	8.0	8	44	68.18	4.0	8.0	7.0	8.0	7.0	8.0	7.0	6.0	10.0	7.0	3.0	0.0
2022	0.0	0.0		12	33.64	0.0	6.0	6.0	6.0	6.0	2.0	8.0	1.0	2.0	0.0	0.0	0.0
2024	6.0	61.0	46	63	84.55	10	9.5	10	9	8	9.5	8.5	4	7	9.5	8	0
2028	2.5	24.0	24	41	91.36	10	8.5	9.5	9.5	8	9.5	9	8	9	9.5	9.5	8.5
2029	0.0	0.0		61	62.27	7	9	9	0	7.5	6.5	7.5	4	8	5	5	0
2031	0.0	0.0		0	0.00												
2032	1.0	11.0	11	53	50.91	8.0	8.0	7.0	7.0	0.0	6.0	4.0	0.0	3.0	3.0	7.0	3.0
2034	0.0	0.0		26	59.09	8.0	8.0	7.0	7.0	8.0	7.5	6.0	4.5	0.0	4.0	5.0	0.0
2035	0.0	0.0		43	37.27	9.0	0.0	8.0	6.0	6.0	7.0	5.0	0.0	0.0	0.0	0.0	0.0
2036	0.0	0.0		0	0.00												
2038	3.0	32.0	32	29	84.09	9	7.5	8.5	7	7.5	10	9	9	7	8	10	0
2039	0.0	0.0		58	62.27	8.0	8.5	8.0	7.0	8.0	8.0	7.5	4.5	0.0	4.0	5.0	0.0
2040	1.0	9.0	9	38	69.09	8.0	8.0	7.0	8.0	7.0	8.0	7.0	5.0	5.0	7.0	6.0	3.0
2043	0.0	0.0		0	0.00												
2045	0.0	0.0	0	38	57.27	10	6	7.5	5	8	6	0	5	8.5	7	0	0
2046	0.0	0.0		38	47.27	8.0	4.0	6.0	6.0	6.0	8.0	5.0	4.0	5.0	0.0	0.0	0.0
2049	0.5	6.0	6	58	76.36	8.0	7.0	8.0	7.0	7.0	8.0	7.0	8.0	8.0	8.0	8.0	3.0
2051	8.5	87.0	83	94	89.09	8.0	9.0	8.0	8.0	8.0	10.0	10.0	7.0	10.0	10.0	10.0	0.0
2053	0.0	0.0		26	62.73	9.0	4.0	6.0	6.0	6.0	8.0	6.0	7.0	5.0	7.0	5.0	0.0
2054	0.0	0.0		0	0.00												
2055	0.0	0.0		0	0.00												
2059	2.0	20.0	20	32	80.91	10	9	9	9	8	8	8.5	5	5	9	7.5	6
2060	0.0	0.0		13	75.91	9.5	8	9.5	7.5	8	7	6.5	6	7	6.5	7.5	6.5
2061	2.0	22.0	22	45	70.91	9.0	8.0	6.0	8.0	7.0	7.0	7.0	5.0	7.0	5.0	7.0	7.0
2062	4.5	46.4	42	0	84.55	8.0	6.0	9.0	8.0	10.0	10.0	10.0	7.0	9.0	9.0	7.0	6.0
2063	0.0	0.0		0	0.00												
2064	0.0	0.0		8	24.55	0.0	3.0	5.0	3.0	3.0	5.0	4.0	4.0	0.0	0.0	0.0	0.0
2065	0.0	0.0		0	0.00												
2066	0.0	0.0		23	41.82	9.0	7.0	6.0	4.0	5.0	4.0	5.0	2.0	0.0	4.0	0.0	0.0
2067	2.0	22.0	22	62	78.18	9.0	8.0	7.0	8.0	7.0	9.0	9.0	5.0	7.0	7.0	8.0	7.0
2068	8.0	79.8	82	55	92.73	8.0	5.0	8.0	10.0	8.0	10.0	9.0	10.0	10.0	10.0	10.0	9.0
2069	0.0	0.0		0	0.00												
2070	5.5	56.9	60	17	78.18	8.0	7.0	7.0	7.0	8.0	8.0	9.0	7.0	8.0	9.0	8.0	0.0
2071	5.0	51.1	39	61	64.55	10.0	10.0	9.0	0.0	7.0	5.0	10.0	7.0	7.0	0.0	6.0	0.0
2072	1.5	13.0	13	28	65.45	9.0	8.0	6.0	5.0	6.0	8.0	9.0	7.0	0.0	6.0	8.0	0.0

A.M.	Βαθμός A	Όλο A %	Γελικό A %	Πρόοδος %	ΜΟ 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30												
2073	8.5	83.8	83	67	96.36	7	9	9	9.5	9	10	10	10	10	10	10	9.5
2074	0.0	0.0		52	70.45	0.0	5.0	6.0	6.0	6.0	8.0	7.5	8.5	8.5	6.0	8.0	8.0
2075	0.0	0.0		0	7.27	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2076	0.0	0.0		65	47.27	10.0	8.0	10.0	7.0	0.0	8.0	9.0	0.0	0.0	0.0	0.0	0.0
2077	1.0	8.0	8	23	85.91	8.5	9.0	10.0	7.5	7.5	10.0	9.0	7.5	8.0	8.5	8.0	8.5
2078	5.5	57.2	37	74	79.55	10.0	7.0	9.5	8.5	6.5	9.0	8.5	6.0	5.0	6.0	8.5	8.0
2079	2.0	22.0	22	71	85.45	10.0	9.0	9.0	7.5	6.5	9.5	9.0	7.0	6.0	9.0	9.0	8.5
2080	1.0	12.0	12	33	70.91	7.0	8.0	6.0	6.5	5.5	8.0	8.0	6.5	7.5	6.5	7.0	7.0
2081	0.0	0.0		0	0.00												
2082	2.0	21.0	21	28	79.09	7.5	8.0	7.0	8.0	8.0	8.5	8.0	7.0	7.5	8.5	8.0	8.0
2083	5.5	52.5	46	35	75.00	10.0	6.0	6.5	5.0	6.5	8.5	0.0	8.5	7.5	8.5	8.0	7.5
2084	0.0	0.0		0	0.00												
2085	7.0	72.4	69	72	78.18	8.0	6.0	7.5	8.5	6.0	8.5	9.5	9.0	5.5	6.5	9.0	7.5
2086	0.0	0.0		40	67.27	8.0	6.0	8.0	8.0	7.0	6.0	9.0	4.0	7.0	5.0	6.0	0.0
2087	0.0	0.0		0	0.00												
2088	0.0	0.0		0	0.00												
2089	0.0	0.0		0	0.00												
2090	0.0	0.0		51	69.55	8.0	8.5	8.0	7.5	7.0	8.0	7.0	0.0	3.5	8.0	7.0	4.0
2091	0.0	0.0		0	0.00												
2092	5.0	49.6	45	30	70.45	9.5	9.0	8.0	7.5	6.5	8.0	7.0	0.0	7.5	7.5	7.0	0.0
2093	4.5	47.2	35	46	68.18	7.5	5.0	7.5	7.5	7.0	6.5	7.5	5.0	7.0	7.5	7.0	4.0
2094	0.0	0.0		0	0.00												
2095	0.0	0.0		0	0.00												
2096	0.0	0.0		0	0.00												
2097	0.0	0.0		26	45.00	9.0	5.5	0.0	6.0	4.5	6.0	7.5	5.0	0.0	0.0	6.0	0.0
2098	0.0	0.0		0	0.00												
2099	3.0	32.0	32	74	100.00	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0
2100	1.5	14.0	14	43	79.09	8.0	5.0	8.0	8.0	7.0	8.0	8.0	7.0	8.0	10.0	7.0	8.0
2101	0.0	0.0		32	60.00	9.0	9.0	8.0	7.0	7.0	8.0	8.5	7.0	2.5	0.0	0.0	0.0
2102	2.0	21.0	21	61	73.18	8.5	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	0.0	6.0	0.0
2103	0.0	0.0		0	0.00												
2104	3.5	33.0	33	26	61.82	0.0	0.0	0.0	2.0	5.0	7.0	9.0	5.0	10.0	10.0	10.0	10.0
2105	0.0	0.0		0	0.00												
2106	0.0	0.0		0	0.00												
2107	0.0	0.0		0	0.00												
2108	0.0	0.0		0	0.00												
2109	3.0	31.0	31	53	88.18	10.0	8.0	7.0	10.0	8.0	8.0	10.0	7.0	7.0	10.0	9.0	10.0
2110	0.0	0.0		58	56.36	9.0	8.0	8.0	8.0	8.0	9.0	7.0	5.0	0.0	0.0	0.0	0.0

A.M.	Βαθμός A	Όλο A %	Γελικό A %	Πρόοδος %	ΜΟ 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30												
2111	3.5	34.0	34	51	77.27	8.0	6.0	7.0	9.0	7.0	8.0	8.0	6.0	7.0	10.0	7.0	8.0
2112	0.0	0.0		0	0.00												
2113	7.5	76.4	71	90	76.36	8.0	9.0	8.0	9.0	5.5	8.5	7.5	5.5	7.0	7.5	7.0	7.0
2114	5.0	50.5	39	75	53.18	8.5	8.0	7.0	8.5	7.0	9.0	0.0	5.5	5.0	0.0	0.0	0.0
2115	0.0	0.0		0	0.00												
2116	0.0	0.0		0	0.00												
2117	6.0	61.2	53	59	76.36	7.0	8.5	9.5	6.5	6.0	9.0	7.5	5.0	7.0	8.0	8.0	7.0
2118	2.5	24.0	24	34	61.82	8.0	6.0	9.5	6.0	0.0	8.5	6.5	3.5	7.0	3.0	4.0	6.0
2119	3.0	31.0	31	54	62.27	9.0	8.0	7.5	6.0	0.0	8.5	7.0	3.0	8.0	7.5	4.0	0.0
2120	0.0	0.0		0	8.18	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2121	0.0	0.0		0	0.00												
2122	0.0	2.0	2	37	41.82	6.5	7.0	7.0	3.5	4.5	8.5	6.0	0.0	3.0	0.0	0.0	0.0
2123	7.5	77.4	73	86	79.09	9.0	8.5	9.0	6.0	0.0	8.5	8.0	3.5	10.0	8.5	9.0	7.0
2124	6.0	57.7	37	84	74.55	8.0	8.5	9.0	5.5	0.0	8.0	10.0	5.0	10.0	9.5	8.5	8.5
2125	0.0	0.0		0	0.00												
2126	0.0	0.0		0	0.00												
2127	9.5	96.3	95	98	97.27	8.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0
2128	0.0	0.0		0	0.00												
2129	0.0	0.0		19	43.64	10.0	3.0	5.0	4.0	5.0	5.0	4.0	3.0	1.0	3.0	3.0	3.0
2130	0.0	0.0		0	11.82	8.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2131	9.0	89.1	84	93	95.45	8.0	10.0	9.0	9.0	10.0	9.0	10.0	9.0	10.0	10.0	10.0	9.0
2132	0.0	0.0		0	0.00												
2133	0.0	0.0		0	23.64	7.0	1.0	0.0	5.0	4.0	5.0	4.0	0.0	0.0	0.0	0.0	0.0
2134	1.0	11.0	11	33	49.09	5.0	5.0	6.0	5.0	5.0	6.0	6.0	4.0	1.0	5.0	4.0	3.0
2135	0.0	0.0		37	65.45	8.0	8.0	8.0	6.0	7.0	7.0	6.0	4.0	6.0	0.0	9.0	3.0
2136	0.0	0.0		0	0.00												
2137	0.0	0.0		0	0.00												
2138	0.0	0.0		0	0.00												
2139	5.0	49.7	35	58	68.64	7.0	8.0	5.0	8.0	8.0	8.0	7.0	5.0	8.5	6.0	4.0	5.0
2140	1.5	14.0	14	26	68.64	10.0	8.0	5.0	7.0	0.0	8.5	8.5	6.5	9.0	7.0	6.0	0.0
2141	0.0	0.0		0	0.00												
2142	1.5	17.0	17	34	91.82	10.0	10.0	10.0	9.0	0.0	9.0	10.0	10.0	9.0	10.0	8.0	6.0
2143	8.0	80.3	74	87	86.36	7.0	10.0	9.0	9.0	8.5	9.0	9.5	8.0	10.0	8.0	7.0	0.0
2144	0.0	0.0		0	0.00												
2145	0.0	0.0		13	71.36	9.0	9.0	9.0	7.5	0.0	8.0	8.0	4.0	9.0	9.0	6.0	0.0
2146	1.0	10.0	10	39	85.91	8.0	10.0	10.0	10.0	8.5	10.0	8.5	7.5	9.0	6.0	7.0	0.0
2147	2.0	20.0	20	77	82.27	7.0	8.0	10.0	8.0	8.0	8.0	7.5	8.0	8.0	9.0	8.0	8.0
2148	0.0	0.0		0	0.00												

A.M.	Βαθμός A	Όλο A %	Γελικό A %	Πρόοδος %	ΜΟ 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30												
2149	0.0	0.0		26	64.55	7.0	5.0	7.5	8.0	8.0	8.0	6.0	6.5	0.0	5.0	5.0	5.0
2150	0.0	0.0		0	0.00												
2151	6.5	66.7	51	80	84.09	8.0	7.0	8.0	8.0	8.0	8.0	10.0	5.0	9.5	10.0	8.0	8.0
2152	0.0	0.0	0	23	67.73	7.5	1	8	6	8	8	8.5	7	7.5	5	6	3
2153	2.0	21.0	21	16	80.91	9	7.5	10	9.5	8	9	8.5	5	8	8	6.5	3
2154	0.0	0.0	0	51	80.45	9	7.5	9.5	10	7.5	9	9.5	8.5	1	9	6	3
2155	6.5	64.7	55	56	86.82	9	10	10	10	7	9.5	10	7	8.5	8.5	6	0
2156	3.0	31.0	31	78	99.09	10	10	10	10	10	10	10	9.5	10	10	9.5	0
2157	2.5	27.0	27	69	90.00	10	7.5	10	9.5	8	9.5	9.5	10	8.5	8.5	8	4
2158	5.5	53.1	42	37	82.27	10	7.5	8	8	9	9	9.5	6	9	7	7.5	3
2159	6.0	59.4	36	66	94.09	10	10	10	9.5	0	10	10	9.5	10	10	9.5	5
2160	6.0	57.9	47	65	71.36	9.5	9	8	8	9	9	6	4	1	7	6	3
2161	5.5	54.2	37	30	99.09	10	10	10	10	9	10	10	10	10	10	10	0
2162	2.5	24.0	24	57	86.36	9.5	10	8	8	8	9	10	6	9.5	7.5	9.5	0
2163	0.0	0.0		19	65.91	9.5	7.5	9	8	0	8.5	8	4	8	9	1	0
2164	1.0	9.0	9	53	89.55	9.5	10	10	10	9	9.5	9.5	1	10	9	8	4
2165	0.0	0.0		0	0.00												
2166	2.0	21.0	21	29	86.36	9	10	9.5	9.5	8	9.5	9.5	6	8.5	8.5	7	3
2167	0.0	0.0		36	83.64	8.5	7	8.5	9	8.5	9.5	10	7	8.5	8.5	7	3
2168	0.5	7.0	7	54	95.00	10	9.5	9.5	10	9	10	9.5	8.5	10	10	8.5	5
2169	3.0	29.0	29	20	83.64	10	0	10	10	8.5	9.5	10	6	9	8	8	3
2170	6.5	64.4	49	52	98.18	9.5	10	10	10	8.5	10	10	10	10	10	10	5
2171	6.5	63.4	41	67	98.18	10	10	10	10	8.5	10	9.5	10	10	10	10	0
2172	2.0	22.0	22	55	89.09	10	10	9	9	8	10	9	7	9	9.5	7.5	3
2173	0.0	0.0		71	0.00												
2174	0.0	2.0	2	27	79.09	9.5	10	9	9	8	9	9	5	8.5	8	0	2
2175	2.0	22.0	22	68	100.00	10	10	10	10	10	10	10	10	10	10	10	5
2176	0.0	0.0		0	22.27	9.5	9	6	0	0	0	0	0	0	0	0	0
2177	0.5	4.0	4	37	78.64	8	5	9	9	7.5	9.5	10	7	8.5	7	6	3
2178	1.0	10.0	10	33	77.27	10	5	7	5	7.5	8	9.5	6.5	10	8	8.5	0
2179	7.5	72.9	86	0	99.55	9.5	9.5	10	10	10	10	10	10	10	10	10	10
2180	1.5	14.0	14	37	70.00	9	5	5	7	8	8	6	5	9.5	0	8	6.5
2181	0.0	2.0	2	67	74.09	9.5	6	7	9	7	5.5	5	5	9	9	9.5	0
2182	0.5	4.0	4	60	74.09	10	9.5	10	9.5	0	9	10	8.5	6	9	0	0
2183	0.0	0.0		25	70.00	9.5	6	8	8	0	7	10	8	0	7.5	7.5	5.5
2184	0.0	0.0		0	0.00												
2185	1.5	13.0	13	33	62.73	9.5	8.5	7.5	8	0	6.5	6	5	0	7	6	5
2186	1.5	17.0	17	60	94.09	9	8.5	9.5	10	7.5	9	10	10	10	10	10	0

A.M.	Βαθμός A	Όλο A %	Γεωκικό A %	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30												
2187	0.0	0.0		0	0.00												
2188	0.0	0.0		0	0.00												
2189	7.5	73.9	72	60	86.36	10	10	9	7.5	8.5	8.5	7	8	9	8.5	9	0
2190	0.0	0.0		3	62.73	8.5	9.5	9.5	9	0	8.5	10	8	6	0	0	0
2191	4.5	46.8	38	22	78.18	9	9	9	9	8.5	8	10	5	0	9.5	9	0
2192	0.0	0.0		0	0.00												
2193	0.0	0.0		48	73.18	6	8	9	9.5	8	9	8	4	7	7	5	0
2194	#VALUE!	#VALUE!	pending	59	79.09	9	8	8.5	9	7	8.5	6	4	8	6	8	9
2195	7.0	69.7	60	61	91.82	9	10	8.5	10	8.5	9	10	9	9.5	8.5	9	0
2196	7.0	71.1	56	81	89.55	10	10	9.5	5	8	10	9.5	6	8	9	9.5	9
2197	2.0	19.0	19	37	76.36	10	9	9	7.5	6.5	8	7.5	4	8.5	6.5	7.5	0
2198	0.0	0.0		0	0.00												
2199	0.0	0.0		12	52.27	10	9	7	9	8	9.5	5	0	0	0	0	0
2200	3.5	33.0	33	48	78.64	6	10	9	6.5	10	9	9	6	7	5	9	0
2201	1.5	17.0	17	39	77.27	10	8	9	6.5	7.5	9.5	8	8	6.0	4.0	8.5	0.0
2202	0.0	0.0		0	0.00												
2203	2.0	22.0	22	42	65.91	9.5	4	7.5	9.5	8.5	7.5	6	4	6	4	6	0
2204	1.0	9.0	9	25	89.55	9	10	8.5	10	8.5	10	10	8	9	8.5	7	4
2205	0.0	0.0		0	0.00												
2206	0.0	0.0		0	0.00												
2207	2.5	23.0	23	35	78.64	10.0	9	9.5	0	10	9.5	7.5	6	0.0	8.0	9.0	8.0
2208	0.0	0.0		18	20.91	9	3	3	8	0	0	0	0	0.0	0.0	0.0	0.0
2209	0.0	0.0		4	29.09	7	0	0	0	0	6.5	1.5	6	0.0	6.0	5.0	0.0
	0.0	0.0		0	0.00												
	0.0	0.0		27	47.27	8.0	4.0	6.0	5.0	6.0	7.0	7.0	4.0	5.0	0.0	0.0	0.0