

A.M.	E>=70 ή MO	MO, εάν>=5 και E>=4	MO = μέσος όρος Π+E	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Scale			1.00	1.00	1.00												
Threshold			50.00		40.00												
Weight			1.00	0.50	0.50												
277	70.0	56.5	56.5	43	70.00	8.0	5.0	8.0	9.0	4.0	9.0	5.0	6.0	8.0	6.0	7.0	6.0
340	73.6	63.8	63.8	54	73.64	9.0	7.0	8.0	8.0	3.0	8.0	10.0	3.0	8.0	7.0	7.0	6.0
356	70.0	62.8	62.8	56	70.00	9.0	6.0	8.0	6.0	3.0	8.0	10.0	0.0	7.0	7.0	7.0	6.0
405	87.7	88.4	88.4	89	87.73	10.0	9.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	0.0	8.0	0.0
444	82.3	72.6	72.6	63	82.27	10.0	7.0	8.0	9.0	6.0	10.0	9.5	7.0	7.0	0.0	9.0	8.0
720	0.0	0.0	16.8	4	29.55	0.0	1.0	5.0	6.0	0.0	8.0	5.0	3.5	4.0	0.0	0.0	0.0
1115	56.2	56.2	56.2	47	65.45	9.0	7.0	9.0	9.0	7.0	8.0	7.0	4.0	7.0	0.0	0.0	5.0
1198	0.0	0.0	0.0	0	0.00												
1424	70.9	60.5	60.5	50	70.91	9.5	8	9	9	9	9	9	4	0	4	7.5	0
1439	75.5	64.7	64.7	54	75.45	7.0	6.0	8.0	9.0	8.0	8.0	8.0	0.0	9.0	6.0	7.0	7.0
1466	0.0	0.0	0.0	0	0.00												
1505	86.4	73.2	73.2	60	86.36	9.5	8	9.5	7.5	8	9	9	8	9	9	8.5	0
1560	81.4	66.7	66.7	52	81.36	8.5	9.0	8.0	8.5	8.5	9.0	9.0	9.0	7.0	7.0	6.0	0.0
1561	0.0	0.0	49.1	56	42.27	0	7	7.5	3.5	0	7	8.5	4	5	4	0	0
1574	93.6	94.3	94.3	95	93.64	9.0	9.0	9.0	8.0	9.0	9.0	10.0	9.0	10.0	9.0	10.0	10.0
1578	0.0	0.0	0.0	0	0.00												
1584	0.0	0.0	0.0	0	0.00												
1585	0.0	0.0	0.0	0	0.00												
1586	0.0	0.0	35.4	34	36.82	0	0	2	5.5	0	8	8	4	6	7	0	0
1587	77.3	62.6	62.6	48	77.27	9.0	9.0	8.0	9.0	6.5	8.5	8.5	6.5	6.0	7.0	7.0	0.0
1591	90.9	84.0	84.0	77	90.91	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	9.0	7.0	0.0
1599	0.0	0.0	44.8	35	54.55	9.0	9.0	7.0	6.0	7.0	0.0	5.0	4.0	7.0	0.0	6.0	0.0
1603	89.5	70.3	70.3	51	89.55	9.0	10.0	9.5	9.0	9.0	9.0	9.0	8.0	8.0	9.0	9.0	0.0
1607	0.0	0.0	7.3	0	14.55	9.0	0.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1611	77.3	62.6	62.6	48	77.27	9	9	8.5	9	8	7.5	8.5	4	8	5.5	8	0
1620	91.4	83.7	83.7	76	91.36	10	9.5	9	10	8.5	10	10	6	0	9	10	8.5
1626	75.7	75.7	75.7	90	61.36	10.0	8.0	9.0	8.0	7.5	0.0	8.5	8.0	0.0	0.0	0.0	8.5
1658	87.3	74.6	74.6	62	87.27	8.5	9.5	9.5	9.0	9.0	8.5	9.0	8.0	7.5	9.0	8.5	4.0
1670	0.0	0.0	7.7	0	15.45	5.0	6.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1682	0.0	0.0	21.4	0	42.73	7.0	6.0	7.0	7.0	0.0	7.5	7.5	5.0	0.0	0.0	0.0	0.0
1690	78.6	75.3	75.3	72	78.64	9.0	8.0	9.0	8.5	10.0	9.0	10.0	9.0	7.0	0.0	7.0	0.0
1696	61.9	61.9	61.9	61	62.73	8.0	0.0	6.0	6.0	8.0	9.0	8.0	4.0	8.0	0.0	9.0	3.0
1714	88.2	78.1	78.1	68	88.18	10.0	9.5	9.5	10.0	0.0	10.0	10.0	7.5	10.0	9.0	6.5	5.0
1731	86.8	82.4	82.4	78	86.82	9.0	9.5	10.0	10.0	0.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0
1736	0.0	0.0	19.3	0	38.64	7.0	5.0	7.0	4.0	0.0	7.5	7.0	5.0	0.0	0.0	0.0	0.0
1737	0.0	0.0	21.1	0	42.27	9.5	9.5	10	8.5	9	0	0	0	0	0	0	0
1743	0.0	0.0	15.9	0	31.82	8.0	9.0	9.0	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

A.M.	E>=70 ή MO	MO, εάν>=5 και E>=4	MO = μέσος όρος Π+E	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Scale			1.00	1.00	1.00												
Threshold			50.00		40.00												
Weight			1.00	0.50	0.50												
1746	55.3	55.3	55.3	56	54.55	9.5	9.0	0.0	8.0	0.0	0.0	8.5	7.5	0.0	0.0	9.0	8.5
1747	76.4	54.7	54.7	33	76.36	8.5	9.0	10.0	8.5	0.0	8.0	8.0	5.5	7.5	7.5	7.5	4.0
1750	90.5	77.7	77.7	65	90.45	8.5	8.5	9.0	8.0	8.5	8.5	9.5	10.0	8.0	10.0	10.0	9.0
1755	0.0	0.0	45.5	36	55.00	0.0	7.5	7.5	2.0	5.5	7.5	7.0	0.0	7.5	6.0	4.0	6.0
1766	92.3	81.1	81.1	70	92.27	10	10	10	10	8.5	9.5	10	7	7.5	9	10	0
1769	71.8	69.4	69.4	67	71.82	10	10	9	10	0	9	0	7	10	6	8	0
1775	0.0	0.0	10.5	0	20.91	8.5	7.0	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1781	79.5	60.3	60.3	41	79.55	8.0	8.0	9.0	8.0	8.0	8.0	7.0	7.0	9.0	7.5	8.0	0.0
1784	52.0	52.0	52.0	45	59.09	9.0	7.0	9.0	7.0	7.0	7.0	5.0	3.0	5.0	3.0	3.0	0.0
1799	71.8	57.4	57.4	43	71.82	9.0	9.0	8.0	9.0	7.0	8.0	8.0	7.0	3.0	3.0	8.0	3.0
1806	85.0	82.0	82.0	79	85.00	8.0	10.0	8.0	8.5	8.5	9.0	9.0	8.0	7.5	8.0	9.0	0.0
1817	0.0	0.0	21.4	25	17.73	0.0	7.0	6.0	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1821	77.7	77.6	77.6	78	77.73	9.0	7.5	9.0	8.5	5.5	8.5	8.0	0.0	7.5	6.0	8.0	8.0
1824	87.3	81.1	81.1	75	87.27	9.0	10.0	7.5	10.0	7.5	9.0	0.0	7.0	9.0	9.0	10.0	8.0
1829	52.4	52.4	52.4	43	61.82	8.0	8.0	7.0	9.0	7.0	7.0	8.0	2.0	5.0	7.0	0.0	0.0
1830	81.4	55.2	55.2	29	81.36	9.5	9	9.5	10	8	8	9	6	5	7	7.5	6
1832	71.4	63.7	63.7	56	71.36	8.0	7.5	8.0	6.5	6.5	9.0	8.0	4.0	8.0	6.0	4.0	7.0
1833	83.2	61.6	61.6	40	83.18	10.0	8.0	9.5	8.5	8.0	10.0	7.0	7.0	8.0	7.5	8.0	0.0
1834	83.2	72.1	72.1	61	83.18	9.0	8.0	8.0	9.0	7.5	9.0	9.0	2.5	8.0	7.0	9.0	8.0
1836	77.3	59.4	59.4	42	77.27	8.5	8.0	9.0	8.5	7.0	8.0	8.5	0.0	7.5	8.5	7.5	4.0
1838	82.3	77.4	77.4	73	82.27	10.0	9.5	8.0	9.0	8.0	9.0	9.0	7.0	8.0	9.0	0.0	4.0
1847	91.8	74.9	74.9	58	91.82	10.0	7.0	8.0	9.0	8.5	8.5	10.0	10.0	8.0	10.0	10.0	9.0
1853	80.5	74.2	74.2	68	80.45	8.0	8.0	9.5	9.0	8.0	9.0	9.0	4.0	9.0	8.5	6.5	0.0
1858	80.9	75.5	75.5	70	80.91	9.0	10.0	10.0	8.0	7.0	8.0	8.0	7.0	7.0	8.0	7.0	0.0
1859	0.0	0.0	44.6	41	48.18	7.0	7.0	8.0	7.0	5.0	7.0	3.0	3.0	0.0	3.0	3.0	0.0
1861	85.9	73.5	73.5	61	85.91	9.5	10	10	9	7	9.5	9	8	6.5	9	7	0
1870	0.0	0.0	39.3	15	63.64	8.0	9.0	7.0	8.0	7.0	7.5	5.0	4.5	8.0	0.0	6.0	0.0
1874	75.5	67.0	67.0	59	75.45	8.0	6.5	8.0	8.0	8.0	8.5	8.5	5.0	7.5	7.5	7.5	4.0
1877	79.1	72.5	72.5	66	79.09	9.5	10	10	5.5	7.5	7.5	9	5	9	8	6	0
1881	86.8	72.2	72.2	58	86.82	8.5	10.0	8.0	9.5	8.5	9.0	9.0	9.0	7.5	7.5	9.0	0.0
1883	54.5	54.5	54.5	60	49.09	9.0	0.0	5.0	7.0	6.0	7.0	0.0	4.0	5.0	4.0	0.0	7.0
1885	58.0	58.0	58.0	52	64.09	7.0	9.5	8.0	7.0	7.0	8.0	7.5	4.5	7.0	5.0	0.0	0.0
1886	82.7	83.9	83.9	85	82.73	9.0	8.0	9.0	10.0	8.0	9.0	7.0	8.0	0.0	9.0	7.0	7.0
1887	0.0	0.0	0.0	0	0.00												
1888	0.0	0.0	16.4	20	12.73	0.0	0.0	0.0	0.0	0.0	7.5	0.0	6.5	0.0	0.0	0.0	0.0
1890	75.9	57.0	57.0	38	75.91	10.0	9.5	8.0	8.0	8.0	8.5	8.5	5.0	6.0	4.0	5.0	7.0

A.M.	E>=70 ή MO	MO, εάν>=5 και E>=4	MO = μέσος όρος Π+E	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Scale			1.00	1.00	1.00												
Threshold			50.00		40.00												
Weight			1.00	0.50	0.50												
1892	0.0	0.0	0.0	0	0.00												
1893	0.0	0.0	0.0	0	0.00												
1895	0.0	0.0	0.0	0	0.00												
1898	0.0	0.0	0.0	0	0.00												
1901	86.8	72.2	72.2	58	86.82	9	9.5	10	9	7.5	9.5	9	6	9	8.5	8.5	0
1905	0.0	0.0	0.0	0	0.00												
1906	71.4	0.0	48.7	26	71.36	9	8.5	8.5	9	7	7.5	8	4	0	5	7	5
1909	55.2	55.2	55.2	45	65.45	8.0	7.0	0.0	9.0	7.0	8.0	8.0	6.0	9.0	10.0	0.0	0.0
1914	82.3	74.1	74.1	66	82.27	0	9	8.5	9	7	8	9.5	7	10	9	7	6.5
1916	57.3	57.3	57.3	60	54.55	7.5	6.5	7.5	6.5	5.5	6.5	6.0	1.0	3.0	4.0	6.0	0.0
1918	0.0	0.0	0.0	0	0.00												
1921	51.5	51.5	51.5	38	65.00	8.0	7.0	7.5	5.0	7.0	9.0	7.0	7.0	5.0	5.0	4.0	0.0
1922	0.0	0.0	42.5	25	60.00	7.0	7.0	7.0	7.0	7.0	7.0	6.0	4.0	5.0	4.0	5.0	0.0
1926	77.3	67.6	67.6	58	77.27	8.0	6.0	8.0	9.0	8.0	7.0	9.0	6.0	8.0	8.0	8.0	0.0
1929	0.0	0.0	40.9	14	67.73	8.0	6.5	7.5	7.0	7.0	6.5	6.0	4.0	7.0	6.0	6.0	7.0
1930	73.6	60.3	60.3	47	73.64	8.5	7.0	9.0	8.0	8.0	6.5	8.0	4.0	0.0	7.0	8.0	7.0
1932	70.9	60.5	60.5	50	70.91	8.0	9.0	9.0	7.0	6.0	7.0	6.0	6.0	6.0	7.0	7.0	3.0
1934	58.3	58.3	58.3	68	48.64	7.5	7.0	7.0	8.0	5.0	7.0	4.0	1.0	3.0	4.0	0.0	0.0
1938	0.0	0.0	32.0	0	64.09	8.0	7.0	6.0	5.0	6.0	6.0	7.0	5.0	6.0	7.0	7.5	0.0
1941	80.0	56.0	56.0	32	80.00	8.0	8.0	9.0	8.0	9.0	0.0	9.0	6.0	7.0	8.0	9.0	7.0
1942	75.9	72.0	72.0	68	75.91	9.0	9.0	9.5	6.5	7.0	8.5	6.0	6.0	4.0	6.0	8.0	8.0
1945	79.1	69.5	69.5	60	79.09	8.0	10.0	9.0	9.0	8.0	9.0	8.0	6.0	6.0	7.0	7.0	0.0
1946	53.6	53.6	53.6	39	68.18	8.0	7.0	8.0	7.0	7.0	8.0	8.0	5.0	8.0	9.0	0.0	0.0
1949	82.3	67.6	67.6	53	82.27	8.5	8.5	7.5	7.5	10.0	8.5	10.0	8.0	8.0	6.0	8.0	0.0
1950	0.0	0.0	0.0	0	0.00												
1952	83.6	82.8	82.8	82	83.64	9.0	9.0	6.0	9.0	7.0	10.0	10.0	8.0	8.0	8.0	8.0	0.0
1958	95.5	90.2	90.2	85	95.45	10	9	10	9	8.5	10	10	9.5	10	9	10	0
1959	82.7	81.4	81.4	80	82.73	8.5	8.0	7.5	10.0	9.0	7.0	8.5	4.5	8.5	8.0	9.0	7.0
1960	0.0	0.0	0.0	0	0.00												
1963	54.5	54.5	54.5	53	55.91	0.0	9.5	5.0	9.0	8.0	9.0	7.0	0.0	0.0	0.0	7.0	7.0
1964	80.0	77.0	77.0	74	80.00	8.0	9.0	8.0	9.0	9.0	8.0	6.0	7.0	8.0	8.0	8.0	0.0
1968	72.7	59.4	59.4	46	72.73	8.0	9.0	7.0	8.0	7.0	8.0	8.0	5.0	6.0	7.0	7.0	3.0
1970	82.7	51.4	51.4	20	82.73	8.0	8.0	9.0	8.0	9.0	9.0	8.0	6.0	8.0	8.0	9.0	7.0
1975	0.0	0.0	43.2	25	61.36	9.5	9.0	8.5	0.0	0.0	7.0	6.5	0.0	7.5	8.5	7.0	4.0

A.M.	E>=70 ή MO	MO, εάν>=5 και E>=4	MO = μέσος όρος Π+E	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Scale			1.00	1.00	1.00												
Threshold			50.00		40.00												
Weight			1.00	0.50	0.50												
1983	0.0	0.0	0.0	0	0.00												
1984	78.2	56.1	56.1	34	78.18	9	8	9.5	8	7.5	9	8	6	8.5	6	6.5	0
1985	90.0	75.0	75.0	60	90.00	9.0	9.0	10.0	8.5	10.0	8.5	9.0	8.0	9.5	8.0	9.0	8.5
1986	76.4	75.7	75.7	75	76.36	8.0	10.0	10.0	9.0	10.0	8.0	10.0	7.0	7.0	5.0	0.0	0.0
1987	0.0	0.0	0.0	0	0.00												
1988	96.8	82.9	82.9	69	96.82	9.5	9.5	10	9.5	10	10	9.5	9.5	9.5	9.5	10	0
1989	75.0	60.0	60.0	45	75.00	0	9.5	8.5	9.5	7.5	8.5	8	8.5	8.5	0	7.5	6.5
1991	0.0	0.0	49.3	44	54.55	7.0	6.0	8.0	5.0	6.0	6.0	5.0	0.0	5.0	5.0	7.0	0.0
1992	75.5	61.7	61.7	48	75.45	9.0	9.0	9.0	8.0	7.0	8.0	7.0	6.0	6.0	7.0	7.0	3.0
1994	82.7	68.9	68.9	55	82.73	9.0	9.0	8.5	9.0	8.5	8.5	9.0	7.0	7.0	8.5	7.0	6.0
1996	75.9	66.0	66.0	56	75.91	8.5	8.0	7.5	10.0	8.5	8.5	8.0	5.0	8.5	5.0	6.0	0.0
1997	92.7	87.9	87.9	83	92.73	9.5	8.5	0.0	8.5	10.0	9.0	10.0	9.5	10.0	9.0	8.5	9.5
1998	90.9	76.5	76.5	62	90.91	10.0	8.0	10.0	10.0	8.0	9.0	10.0	7.0	8.0	10.0	10.0	0.0
2000	77.3	67.1	67.1	57	77.27	8	7.5	9.5	8.5	0	9	8.5	4	7	7.5	7.5	8
2001	81.4	70.7	70.7	60	81.36	8.5	6.5	8.0	10.0	9.0	8.5	9.0	7.5	8.5	6.0	8.0	6.0
2004	77.7	69.9	69.9	62	77.73	10.0	7.0	6.5	7.0	7.5	8.5	8.5	7.5	8.5	6.5	7.0	7.5
2005	0.0	0.0	10.5	0	20.91	9.0	0.0	8.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2007	56.7	56.7	56.7	57	56.36	7.0	2.0	9.0	8.0	7.0	8.0	7.0	4.0	5.0	2.0	3.0	0.0
2008	0.0	0.0	48.3	32	64.55	8.0	7.5	7.5	7.0	7.0	6.5	6.0	4.0	0.0	4.5	6.0	7.0
2012	0.0	0.0	0.0	0	0.00												
2013	70.0	0.0	49.0	28	70.00	10	9	10	10	9.5	10	0	0	7	0	6	5.5
2014	72.7	50.9	50.9	29	72.73	8.0	8.0	10.0	7.0	8.0	8.0	8.0	6.0	6.0	8.0	3.0	0.0
2017	90.0	89.8	89.8	90	90.00	8.0	10.0	10.0	10.0	8.0	10.0	9.0	8.0	9.0	9.0	8.0	3.0
2018	56.1	56.1	56.1	44	68.18	4.0	8.0	7.0	8.0	7.0	8.0	7.0	6.0	10.0	7.0	3.0	0.0
2020	51.7	51.7	51.7	37	66.36	7.0	8.0	10.0	9.0	7.0	9.0	6.0	7.0	6.0	4.0	0.0	0.0
2022	0.0	0.0	22.8	12	33.64	0.0	6.0	6.0	6.0	6.0	2.0	8.0	1.0	2.0	0.0	0.0	0.0
2024	84.5	73.8	73.8	63	84.55	10	9.5	10	9	8	9.5	8.5	4	7	9.5	8	0
2028	91.4	66.2	66.2	41	91.36	10	8.5	9.5	9.5	8	9.5	9	8	9	9.5	9.5	8.5
2029	61.6	61.6	61.6	61	62.27	7	9	9	0	7.5	6.5	7.5	4	8	5	5	0
2031	0.0	0.0	0.0	0	0.00												
2032	52.0	52.0	52.0	53	50.91	8.0	8.0	7.0	7.0	0.0	6.0	4.0	0.0	3.0	3.0	7.0	3.0
2034	0.0	0.0	42.5	26	59.09	8.0	8.0	7.0	7.0	8.0	7.5	6.0	4.5	0.0	4.0	5.0	0.0
2035	0.0	0.0	40.1	43	37.27	9.0	0.0	8.0	6.0	6.0	7.0	5.0	0.0	0.0	0.0	0.0	0.0
2036	0.0	0.0	0.0	0	0.00												

A.M.	E>=70 ή MO	MO, εάν>=5 και E>=4	MO = μέσος όρος Π+Ε	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Scale			1.00	1.00	1.00												
Threshold			50.00		40.00												
Weight			1.00	0.50	0.50												
2038	84.1	56.5	56.5	29	84.09	9	7.5	8.5	7	7.5	10	9	9	7	8	10	0
2039	60.1	60.1	60.1	58	62.27	8.0	8.5	8.0	7.0	8.0	8.0	7.5	4.5	0.0	4.0	5.0	0.0
2040	53.5	53.5	53.5	38	69.09	8.0	8.0	7.0	8.0	7.0	8.0	7.0	5.0	5.0	7.0	6.0	3.0
2043	0.0	0.0	0.0	0	0.00												
2045	0.0	0.0	47.4	38	57.27	10	6	7.5	5	8	6	0	5	8.5	7	0	0
2046	0.0	0.0	42.4	38	47.27	8.0	4.0	6.0	6.0	6.0	8.0	5.0	4.0	5.0	0.0	0.0	0.0
2049	76.4	67.2	67.2	58	76.36	8.0	7.0	8.0	7.0	7.0	8.0	7.0	8.0	8.0	8.0	8.0	3.0
2051	89.1	91.5	91.5	94	89.09	8.0	9.0	8.0	8.0	8.0	10.0	10.0	7.0	10.0	10.0	10.0	0.0
2053	0.0	0.0	44.4	26	62.73	9.0	4.0	6.0	6.0	6.0	8.0	6.0	7.0	5.0	7.0	5.0	0.0
2054	0.0	0.0	0.0	0	0.00												
2055	0.0	0.0	0.0	0	0.00												
2059	80.9	56.5	56.5	32	80.91	10	9	9	9	8	8	8.5	5	5	9	7.5	6
2060	75.9	0.0	44.5	13	75.91	9.5	8	9.5	7.5	8	7	6.5	6	7	6.5	7.5	6.5
2061	70.9	58.0	58.0	45	70.91	9.0	8.0	6.0	8.0	7.0	7.0	7.0	5.0	7.0	5.0	7.0	7.0
2062	84.5	0.0	42.3	0	84.55	8.0	6.0	9.0	8.0	10.0	10.0	10.0	7.0	9.0	9.0	7.0	6.0
2063	0.0	0.0	0.0	0	0.00												
2064	0.0	0.0	16.3	8	24.55	0.0	3.0	5.0	3.0	3.0	5.0	4.0	4.0	0.0	0.0	0.0	0.0
2065	0.0	0.0	0.0	0	0.00												
2066	0.0	0.0	32.4	23	41.82	9.0	7.0	6.0	4.0	5.0	4.0	5.0	2.0	0.0	4.0	0.0	0.0
2067	78.2	70.1	70.1	62	78.18	9.0	8.0	7.0	8.0	7.0	9.0	9.0	5.0	7.0	7.0	8.0	7.0
2068	92.7	73.9	73.9	55	92.73	8.0	5.0	8.0	10.0	8.0	10.0	9.0	10.0	10.0	10.0	10.0	9.0
2069	0.0	0.0	0.0	0	0.00												
2070	78.2	0.0	47.6	17	78.18	8.0	7.0	7.0	7.0	8.0	8.0	9.0	7.0	8.0	9.0	8.0	0.0
2071	62.8	62.8	62.8	61	64.55	10.0	10.0	9.0	0.0	7.0	5.0	10.0	7.0	7.0	0.0	6.0	0.0
2072	0.0	0.0	46.7	28	65.45	9.0	8.0	6.0	5.0	6.0	8.0	9.0	7.0	0.0	6.0	8.0	0.0
2073	96.4	81.7	81.7	67	96.36	7	9	9	9.5	9	10	10	10	10	10	10	9.5
2074	70.5	61.2	61.2	52	70.45	0.0	5.0	6.0	6.0	6.0	8.0	7.5	8.5	8.5	6.0	8.0	8.0
2075	0.0	0.0	3.6	0	7.27	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2076	56.1	56.1	56.1	65	47.27	10.0	8.0	10.0	7.0	0.0	8.0	9.0	0.0	0.0	0.0	0.0	0.0
2077	85.9	54.5	54.5	23	85.91	8.5	9.0	10.0	7.5	7.5	10.0	9.0	7.5	8.0	8.5	8.0	8.5
2078	79.5	76.8	76.8	74	79.55	10.0	7.0	9.5	8.5	6.5	9.0	8.5	6.0	5.0	6.0	8.5	8.0
2079	85.5	78.2	78.2	71	85.45	10.0	9.0	9.0	7.5	6.5	9.5	9.0	7.0	6.0	9.0	9.0	8.5
2080	70.9	51.7	51.7	33	70.91	7.0	8.0	6.0	6.5	5.5	8.0	8.0	6.5	7.5	6.5	7.0	7.0
2081	0.0	0.0	0.0	0	0.00												

A.M.	E>=70 ή MO	MO, εάν>=5 και E>=4	MO = μέσος όρος Π+Ε	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Scale			1.00	1.00	1.00												
Threshold			50.00		40.00												
Weight			1.00	0.50	0.50												
2082	79.1	53.5	53.5	28	79.09	7.5	8.0	7.0	8.0	8.0	8.5	8.0	7.0	7.5	8.5	8.0	8.0
2083	75.0	55.0	55.0	35	75.00	10.0	6.0	6.5	5.0	6.5	8.5	0.0	8.5	7.5	8.5	8.0	7.5
2084	0.0	0.0	0.0	0	0.00												
2085	78.2	75.1	75.1	72	78.18	8.0	6.0	7.5	8.5	6.0	8.5	9.5	9.0	5.5	6.5	9.0	7.5
2086	53.4	53.4	53.4	40	67.27	8.0	6.0	8.0	8.0	7.0	6.0	9.0	4.0	7.0	5.0	6.0	0.0
2087	0.0	0.0	0.0	0	0.00												
2088	0.0	0.0	0.0	0	0.00												
2089	0.0	0.0	0.0	0	0.00												
2090	60.3	60.3	60.3	51	69.55	8.0	8.5	8.0	7.5	7.0	8.0	7.0	0.0	3.5	8.0	7.0	4.0
2091	0.0	0.0	0.0	0	0.00												
2092	70.5	50.2	50.2	30	70.45	9.5	9.0	8.0	7.5	6.5	8.0	7.0	0.0	7.5	7.5	7.0	0.0
2093	57.1	57.1	57.1	46	68.18	7.5	5.0	7.5	7.5	7.0	6.5	7.5	5.0	7.0	7.5	7.0	4.0
2094	0.0	0.0	0.0	0	0.00												
2095	0.0	0.0	0.0	0	0.00												
2096	0.0	0.0	0.0	0	0.00												
2097	0.0	0.0	35.5	26	45.00	9.0	5.5	0.0	6.0	4.5	6.0	7.5	5.0	0.0	0.0	6.0	0.0
2098	0.0	0.0	0.0	0	0.00												
2099	100.0	87.0	87.0	74	100.00	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0
2100	79.1	61.0	61.0	43	79.09	8.0	5.0	8.0	8.0	7.0	8.0	8.0	7.0	8.0	10.0	7.0	8.0
2101	0.0	0.0	46.0	32	60.00	9.0	9.0	8.0	7.0	7.0	8.0	8.5	7.0	2.5	0.0	0.0	0.0
2102	73.2	67.1	67.1	61	73.18	8.5	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	0.0	6.0	0.0
2103	0.0	0.0	0.0	0	0.00												
2104	0.0	0.0	43.9	26	61.82	0.0	0.0	0.0	2.0	5.0	7.0	9.0	5.0	10.0	10.0	10.0	10.0
2105	0.0	0.0	0.0	0	0.00												
2106	0.0	0.0	0.0	0	0.00												
2107	0.0	0.0	0.0	0	0.00												
2108	0.0	0.0	0.0	0	0.00												
2109	88.2	70.6	70.6	53	88.18	10.0	8.0	7.0	10.0	8.0	8.0	10.0	7.0	7.0	10.0	9.0	10.0
2110	57.2	57.2	57.2	58	56.36	9.0	8.0	8.0	8.0	8.0	9.0	7.0	5.0	0.0	0.0	0.0	0.0
2111	77.3	64.1	64.1	51	77.27	8.0	6.0	7.0	9.0	7.0	8.0	8.0	6.0	7.0	10.0	7.0	8.0
2112	0.0	0.0	0.0	0	0.00												
2113	76.4	83.2	83.2	90	76.36	8.0	9.0	8.0	9.0	5.5	8.5	7.5	5.5	7.0	7.5	7.0	7.0
2114	64.1	64.1	64.1	75	53.18	8.5	8.0	7.0	8.5	7.0	9.0	0.0	5.5	5.0	0.0	0.0	0.0
2115	0.0	0.0	0.0	0	0.00												

A.M.	E>=70 ή MO	MO, εάν>=5 και E>=4	MO = μέσος όρος Π+E	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Scale			1.00	1.00	1.00												
Threshold			50.00		40.00												
Weight			1.00	0.50	0.50												
2116	0.0	0.0	0.0	0	0.00												
2117	76.4	67.7	67.7	59	76.36	7.0	8.5	9.5	6.5	6.0	9.0	7.5	5.0	7.0	8.0	8.0	7.0
2118	0.0	0.0	47.9	34	61.82	8.0	6.0	9.5	6.0	0.0	8.5	6.5	3.5	7.0	3.0	4.0	6.0
2119	58.1	58.1	58.1	54	62.27	9.0	8.0	7.5	6.0	0.0	8.5	7.0	3.0	8.0	7.5	4.0	0.0
2120	0.0	0.0	4.1	0	8.18	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2121	0.0	0.0	0.0	0	0.00												
2122	0.0	0.0	39.4	37	41.82	6.5	7.0	7.0	3.5	4.5	8.5	6.0	0.0	3.0	0.0	0.0	0.0
2123	79.1	82.5	82.5	86	79.09	9.0	8.5	9.0	6.0	0.0	8.5	8.0	3.5	10.0	8.5	9.0	7.0
2124	74.5	79.3	79.3	84	74.55	8.0	8.5	9.0	5.5	0.0	8.0	10.0	5.0	10.0	9.5	8.5	8.5
2125	0.0	0.0	0.0	0	0.00												
2126	0.0	0.0	0.0	0	0.00												
2127	97.3	97.6	97.6	98	97.27	8.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0
2128	0.0	0.0	0.0	0	0.00												
2129	0.0	0.0	31.3	19	43.64	10.0	3.0	5.0	4.0	5.0	5.0	4.0	3.0	1.0	3.0	3.0	3.0
2130	0.0	0.0	5.9	0	11.82	8.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2131	95.5	94.0	94.0	93	95.45	8.0	10.0	9.0	9.0	10.0	9.0	10.0	9.0	10.0	10.0	10.0	9.0
2132	0.0	0.0	0.0	0	0.00												
2133	0.0	0.0	11.8	0	23.64	7.0	1.0	0.0	5.0	4.0	5.0	4.0	0.0	0.0	0.0	0.0	0.0
2134	0.0	0.0	41.0	33	49.09	5.0	5.0	6.0	5.0	5.0	6.0	6.0	4.0	1.0	5.0	4.0	3.0
2135	51.2	51.2	51.2	37	65.45	8.0	8.0	8.0	6.0	7.0	7.0	6.0	4.0	6.0	0.0	9.0	3.0
2136	0.0	0.0	0.0	0	0.00												
2137	0.0	0.0	0.0	0	0.00												
2138	0.0	0.0	0.0	0	0.00												
2139	63.3	63.3	63.3	58	68.64	7.0	8.0	5.0	8.0	8.0	8.0	7.0	5.0	8.5	6.0	4.0	5.0
2140	0.0	0.0	47.3	26	68.64	10.0	8.0	5.0	7.0	0.0	8.5	8.5	6.5	9.0	7.0	6.0	0.0
2141	0.0	0.0	0.0	0	0.00												
2142	91.8	62.9	62.9	34	91.82	10.0	10.0	10.0	9.0	0.0	9.0	10.0	10.0	9.0	10.0	8.0	6.0
2143	86.4	86.7	86.7	87	86.36	7.0	10.0	9.0	9.0	8.5	9.0	9.5	8.0	10.0	8.0	7.0	0.0
2144	0.0	0.0	0.0	0	0.00												
2145	71.4	0.0	42.2	13	71.36	9.0	9.0	9.0	7.5	0.0	8.0	8.0	4.0	9.0	9.0	6.0	0.0
2146	85.9	62.5	62.5	39	85.91	8.0	10.0	10.0	10.0	8.5	10.0	8.5	7.5	9.0	6.0	7.0	0.0
2147	82.3	79.6	79.6	77	82.27	7.0	8.0	10.0	8.0	8.0	8.0	7.5	8.0	8.0	9.0	8.0	8.0
2148	0.0	0.0	0.0	0	0.00												
2149	0.0	0.0	45.3	26	64.55	7.0	5.0	7.5	8.0	8.0	8.0	6.0	6.5	0.0	5.0	5.0	5.0

A.M.	E>=70 ή MO	MO, εάν>=5 και E>=4	MO = μέσος όρος Π+E	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Scale			1.00	1.00	1.00												
Threshold			50.00		40.00												
Weight			1.00	0.50	0.50												
2150	0.0	0.0	0.0	0	0.00												
2151	84.1	82.0	82.0	80	84.09	8.0	7.0	8.0	8.0	8.0	8.0	10.0	5.0	9.5	10.0	8.0	8.0
2152	0.0	0.0	45.4	23	67.73	7.5	1	8	6	8	8	8.5	7	7.5	5	6	3
2153	80.9	0.0	48.5	16	80.91	9	7.5	10	9.5	8	9	8.5	5	8	8	6.5	3
2154	80.5	65.7	65.7	51	80.45	9	7.5	9.5	10	7.5	9	9.5	8.5	1	9	6	3
2155	86.8	71.4	71.4	56	86.82	9	10	10	10	7	9.5	10	7	8.5	8.5	6	0
2156	99.1	88.5	88.5	78	99.09	10	10	10	10	10	10	10	9.5	10	10	9.5	0
2157	90.0	79.5	79.5	69	90.00	10	7.5	10	9.5	8	9.5	9.5	10	8.5	8.5	8	4
2158	82.3	59.6	59.6	37	82.27	10	7.5	8	8	9	9	9.5	6	9	7	7.5	3
2159	94.1	80.0	80.0	66	94.09	10	10	10	9.5	0	10	10	9.5	10	10	9.5	5
2160	71.4	68.2	68.2	65	71.36	9.5	9	8	8	9	9	6	4	1	7	6	3
2161	99.1	64.5	64.5	30	99.09	10	10	10	10	9	10	10	10	10	10	10	0
2162	86.4	71.7	71.7	57	86.36	9.5	10	8	8	8	9	10	6	9.5	7.5	9.5	0
2163	0.0	0.0	42.5	19	65.91	9.5	7.5	9	8	0	8.5	8	4	8	9	1	0
2164	89.5	71.3	71.3	53	89.55	9.5	10	10	10	9	9.5	9.5	1	10	9	8	4
2165	0.0	0.0	0.0	0	0.00												
2166	86.4	57.7	57.7	29	86.36	9	10	9.5	9.5	8	9.5	9.5	6	8.5	8.5	7	3
2167	83.6	59.8	59.8	36	83.64	8.5	7	8.5	9	8.5	9.5	10	7	8.5	8.5	7	3
2168	95.0	74.5	74.5	54	95.00	10	9.5	9.5	10	9	10	9.5	8.5	10	10	8.5	5
2169	83.6	51.8	51.8	20	83.64	10	0	10	10	8.5	9.5	10	6	9	8	8	3
2170	98.2	75.1	75.1	52	98.18	9.5	10	10	10	8.5	10	10	10	10	10	10	5
2171	98.2	82.6	82.6	67	98.18	10	10	10	10	8.5	10	9.5	10	10	10	10	0
2172	89.1	72.0	72.0	55	89.09	10	10	9	9	8	10	9	7	9	9.5	7.5	3
2173	0.0	0.0	35.5	71	0.00												
2174	79.1	53.0	53.0	27	79.09	9.5	10	9	9	8	9	9	5	8.5	8	0	2
2175	100.0	84.0	84.0	68	100.00	10	10	10	10	10	10	10	10	10	10	10	5
2176	0.0	0.0	11.1	0	22.27	9.5	9	6	0	0	0	0	0	0	0	0	0
2177	78.6	57.8	57.8	37	78.64	8	5	9	9	7.5	9.5	10	7	8.5	7	6	3
2178	77.3	55.1	55.1	33	77.27	10	5	7	5	7.5	8	9.5	6.5	10	8	8.5	0
2179	99.5	0.0	49.8	0	99.55	9.5	9.5	10	10	10	10	10	10	10	10	10	10
2180	70.0	53.5	53.5	37	70.00	9	5	5	7	8	8	6	5	9.5	0	8	6.5
2181	74.1	70.5	70.5	67	74.09	9.5	6	7	9	7	5.5	5	5	9	9	9.5	0
2182	74.1	66.8	66.8	60	74.09	10	9.5	10	9.5	0	9	10	8.5	6	9	0	0
2183	70.0	0.0	47.5	25	70.00	9.5	6	8	8	0	7	10	8	0	7.5	7.5	5.5

A.M.	E>=70 ή MO	MO, εάν>=5 και E>=4	MO = μέσος όρος Π+E	Πρόοδος %	MO 11 καλύτερων Εργ. %	Εργ. 1 (x/10)	Εργ. 2 (x/10)	Εργ. 3 (x/10)	Εργ. 4 (x/10)	Εργ. 5 (x/10)	Εργ. 6 (x/10)	Εργ. 7 (x/10)	Εργ. 8 (x/10)	Εργ. 9 (x/10)	Εργ. 10 (x/10)	Εργ. 11 (x/10)	Εργ. 12 (x/10)
Scale			1.00	1.00	1.00												
Threshold			50.00		40.00												
Weight			1.00	0.50	0.50												
2184	0.0	0.0	0.0	0	0.00												
2185	0.0	0.0	47.9	33	62.73	9.5	8.5	7.5	8	0	6.5	6	5	0	7	6	5
2186	94.1	77.0	77.0	60	94.09	9	8.5	9.5	10	7.5	9	10	10	10	10	10	0
2187	0.0	0.0	0.0	0	0.00												
2188	0.0	0.0	0.0	0	0.00												
2189	86.4	73.2	73.2	60	86.36	10	10	9	7.5	8.5	8.5	7	8	9	8.5	9	0
2190	0.0	0.0	32.9	3	62.73	8.5	9.5	9.5	9	0	8.5	10	8	6	0	0	0
2191	78.2	0.0	49.8	22	78.18	9	9	9	9	8.5	8	10	5	0	9.5	9	0
2192	0.0	0.0	0.0	0	0.00												
2193	73.2	60.6	60.6	48	73.18	6	8	9	9.5	8	9	8	4	7	7	5	0
2194	79.1	69.0	69.0	59	79.09	9	8	8.5	9	7	8.5	6	4	8	6	8	9
2195	91.8	76.4	76.4	61	91.82	9	10	8.5	10	8.5	9	10	9	9.5	8.5	9	0
2196	89.5	85.3	85.3	81	89.55	10	10	9.5	5	8	10	9.5	6	8	9	9.5	9
2197	76.4	56.7	56.7	37	76.36	10	9	9	7.5	6.5	8	7.5	4	8.5	6.5	7.5	0
2198	0.0	0.0	0.0	0	0.00												
2199	0.0	0.0	32.1	12	52.27	10	9	7	9	8	9.5	5	0	0	0	0	0
2200	78.6	63.3	63.3	48	78.64	6	10	9	6.5	10	9	9	6	7	5	9	0
2201	77.3	58.1	58.1	39	77.27	10	8	9	6.5	7.5	9.5	8	8	6.0	4.0	8.5	0.0
2202	0.0	0.0	0.0	0	0.00												
2203	54.0	54.0	54.0	42	65.91	9.5	4	7.5	9.5	8.5	7.5	6	4	6	4	6	0
2204	89.5	57.3	57.3	25	89.55	9	10	8.5	10	8.5	10	10	8	9	8.5	7	4
2205	0.0	0.0	0.0	0	0.00												
2206	0.0	0.0	0.0	0	0.00												
2207	78.6	56.8	56.8	35	78.64	10.0	9	9.5	0	10	9.5	7.5	6	0.0	8.0	9.0	8.0
2208	0.0	0.0	19.5	18	20.91	9	3	3	8	0	0	0	0	0.0	0.0	0.0	0.0
2209	0.0	0.0	16.5	4	29.09	7	0	0	0	0	6.5	1.5	6	0.0	6.0	5.0	0.0
	0.0	0.0	0.0	0	0.00												
	0.0	0.0	37.1	27	47.27	8.0	4.0	6.0	5.0	6.0	7.0	7.0	4.0	5.0	0.0	0.0	0.0