

AM	Βαθμός A	Σύνολο A %	Τελικό A %	Πρόοδος %	Μ.Ο. 11 καλύτ.Εργ %	ΕΡΓ1	ΕΡΓ2	ΕΡΓ3	ΕΡΓ4	ΕΡΓ5	ΕΡΓ6	ΕΡΓ7	ΕΡΓ8	ΕΡΓ9	ΕΡΓ10	ΕΡΓ11	ΕΡΓ12
Scale			1.17	1.00													
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30	0.5	0.7	0.8	1.0	1.0	0.9	0.9	0.9	1.2	1.3	1.4	1.4
774	6.0	60.433	39	70	78.727	8.0	7.0	8.0	7.0	6.5	8.0	7.5	6.0	7.5	8.5	8.0	8.0
1670	2.0	19.890	17	35	69.045	8.0	8.0	5.5	5.0	7.0	6.0	7.0	6.0	8.0	7.5	6.0	6.5
1701	6.5	65.880	45	55	95.182	10.0	10.0	9.0	9.5	9.5	9.5	10.0	8.5	9.0	9.0	9.0	8.0
1736	1.0	8.190	7	8	69.818	10.0	7.0	6.0	8.5	7.0	9.0	9.0	6.0	6.0	5.0	5.0	6.5
1775	0.0	2.340	2	53	79.045	9.5	8.0	10.0	5.0	6.0	8.5	6.5	8.5	6.5	9.0	7.5	8.0
1784	0.0	0.000			32.818	9.0	8.5	9.0	0.0	0.0	8.5	6.5	5.5	0.0	0.0	0.0	0.0
1811	2.0	19.890	17	58	79.000	9.5	5.0	9.0	6.5	6.0	8.5	7.0	7.5	8.0	7.5	7.0	9.0
1844	8.5	83.623	73	61	95.727	0.0	10.0	9.0	10.0	9.0	9.5	9.5	7.5	9.5	9.5	9.0	8.5
1853	3.0	31.590	27	67	93.182	8.6	9.5	9.0	9.0	8.0	10.0	7.5	8.5	9.5	9.5	9.0	8.5
1875	8.5	84.559	67	79	98.545	10.0	10.0	9.5	9.0	9.0	10.0	9.5	9.5	9.0	10.0	10.0	8.5
1888	3.0	30.420	26	64	73.091	10.0	9.5	7.0	6.0	6.5	8.5	7.5	7.0	0.0	8.5	6.5	7.0
1898	0.5	7.020	6		58.773	9.0	8.5	6.5	0.0	0.0	0.0	0.0	8.0	7.5	8.0	8.0	8.0
1918	5.0	51.045	30	47	80.318	0.0	7.0	6.5	8.0	7.0	4.0	8.5	8.5	8.5	8.5	8.5	8.0
1921	8.0	81.990	71	58	96.182	9.5	9.0	10.0	10.0	10.0	9.0	9.0	10.0	9.0	9.0	9.0	8.0
1922	2.0	22.230	19	42	61.409	8.5	4	6	6.5	7	7	7	7.0	7.0	5.0	6.0	0.0
1932	5.5	54.800	33	42	90.318	8.5	10.0	10.0	7.5	8.0	7.5	8.0	10.0	7.5	9.0	10.0	8.0
1950	2.5	24.570	21	58	72.273	9.0	9.0	7.0	6.5	6.5	8.0	6.5	6.5	7.5	9.0	7.5	0.0
1987	1.5	14.040	12	64	73.773	8.5	7.5	7.5	9.0	7.0	9.0	10.0	5.5	5.0	8.0	8.0	
1995	0.0	0.000			7.000	7.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2007	0.0	0.000		40	14.273	8.0	0.0	6.0	6.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
2008	4.5	43.471	31	39	58.455	9.6	9.5	7.5	0.0	6.5	9.5	8.0	4.0	0.0	0.0	7.5	7.5
2009	2.5	24.570	21	53	71.409	9	8.5	8	7.5	8	7	7	8.5	7.0	6.5	6.5	0.0
2012	6.0	57.963	34	69	80.909	10.0	9.0	10.0	7.0	7.0	9.0	9.0	7.5	7.0	7.5	7.0	7.0
2014	0.0	0.000	0	32	65.636	9.0	8.0	7.5	9.0	5.0	8.0	9.0	6.0	7.0	10.0		
2018	6.5	62.808	44	77	72.227	8.5	9.0	6.0	9.0	7.0	10.0	10.0	9.0	7.5	10.0		
2049	5.0	51.529	32	51	75.364	8.5	8.5	7.5	5.0	7.0	9.0	7.5	7.0	7.5	6.0	8.0	7.0
2053	1.5	15.210	13	44	92.455	10	9.5	10	9	9.5	9.5	10	9.0	9.0	8.0	7.0	8.5
2060	0.0	0.000	0	20	84.045	9.0	9.5	7.0	8.0	8.0	7.5	8.5	9.0	8.0	8.0	7.5	8.0
2079	7.5	77.072	57	97	81.091	10.0	8.5	8.5	9.0	9.0	9.5	9.5	9.5	7.0	9.0	0.0	5.5
2080	1.5	14.040	12	46	80.864	10.0	10.0	8.5	9.0	7.0	8.0	8.0	7.0	7.0	7.5	7.5	7.0
2090	1.5	14.040	12	57	73.682	10.0	10.0	6.0	9.0	6.5	7.5	8.5	5.0	10.0	7.5	5.0	4.0
2097	0.0	0.000		43	12.545	8.0	0.0	6.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2110	2.0	18.720	16	66	76.909	9.0	8.0	6.0	10.0	10.0	9.0	9.0	8.5	5.5	7.5	4.0	6.0
2118	0.0	0.000			0.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2133	1.5	16.380	14	50	59.182	9.0	7.0	5.0	6.0	0.0	5.0	6.5	5.0	7.0	6.5	5.0	5.0
2140	5.5	54.574	39	57	67.864	9.0	9.0	10.0	7.5	7.0	8.5	9.0	6.0	6.0	10.0		
2142	6.5	65.518	40	82	85.727	10	9	10	9	8.5	9	8	7.5	8.5	5.5	8.0	8.5
2149	1.0	10.530	9	41	78.591	10.0	9.0	7.5	8.5	7.0	8.0	8.5	9.0	10.0	9.0	5.0	
2153	1.0	10.530	9	39	68.455	9	7	8	8	7	9	7.5	7.0	6.5	5.5	6.0	0.0
2154	2.0	21.060	18	45	79.682	10.0	7.0	9.0	9.5	7.0	9.5	9.5	9.5	7.5	9.0	0.0	5.5

AM	Βαθμός A	Σύνολο A %	Τελικό A %	Πρόοδος %	Μ.Ο. 11 καλύτ.Εργ %	ΕΡΓ1	ΕΡΓ2	ΕΡΓ3	ΕΡΓ4	ΕΡΓ5	ΕΡΓ6	ΕΡΓ7	ΕΡΓ8	ΕΡΓ9	ΕΡΓ10	ΕΡΓ11	ΕΡΓ12
Scale			1.17	1.00													
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30	0.5	0.7	0.8	1.0	1.0	0.9	0.9	0.9	1.2	1.3	1.4	1.4
2167	6.5	65.774	46	54	93.545	10.0	10.0	8.5	9.5	9.0	9.5	10.0	9.0	9.0	8.5	9.0	7.5
2176	5.5	56.606	39	57	74.636	10.0	6.5	5.0	10.0	0.0	7.0	7.0	7.0	7.5	8.5	8.0	6.0
2183	3.0	31.590	27	45	75.182	9.5	8	7	7	8	7.5	8	9.0	9.0	7.0	7.0	0.0
2185	2.5	26.910	23	66	71.455	8.5	8.0	6.5	9.0	5.5	10.0	8.5	6.5	6.5	8.0	5.0	4.0
2199	6.0	57.754	34	70	79.545	9.0	8.0	7.5	9.5	8.0	9.0	9.0	7.0	7.0	8.0	9.0	
2208	1.0	9.360	8	64	62.045	7.0	7.5	0.0	5.0	5.0	7.0	6.5	1.0	7.0	6.5	7.5	6.5
2209	1.5	14.040	12	29	77.136	10.0	6.0	5.0	9.5	8.0	10.0	9.0	6.5	8.0	10.0	5.0	4.0
2215	7.5	77.410	63	72	87.182	10.0	10.0	7.5	8.0	10.0	8.5	7.0	9.5	8.0	8.0	9.0	7.0
2216	8.0	78.525	55	96	90.500	10.0	8.0	8.0	9.5	9.5	10.0	7.5	7.5	10.0	9.5	8.5	7.0
2218	8.5	87.482	70	89	95.773	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.0	9.0	9.0	9.5	9.0
2234	6.0	57.604	44	46	75.545	8.0	8.5	8.0	7.5	6.0	7.5	6.0	6.0	7.5	8.0	7.5	7.0
2236	3.0	30.420	26	44	85.591	10.0	8.0	9.0	9.0	9.5	9.0	9.0	7.0	8.0	7.5	7.5	7.5
2242	1.0	8.190	7	55	87.409	9.5	8.0	5.0	10.0	8.0	9.0	9.5	7.5	8.0	9.0	8.5	8.0
2243	6.5	65.555	40	92	79.182	9.5	9.0	10.0	8.5	8.0	7.0	7.5	7.5	6.5	7.0	7.5	6.5
2247	6.0	60.870	42	42	93.000	10.0	9.0	9.0	10.0	10.0	9.0	9.0	8.5	8.5	9.5	8.5	7.5
2250	3.5	33.930	29	42	75.727	9.0	7.5	6.0	7.0	7.5	8.5	9.0	6.5	10.0	7.5	5.0	6.0
2253	3.0	29.250	25	52	74.864	8.5	9.0	7.0	8.5	6.5	9.0	9.0	7.0	6.5	7.5	5.0	6.0
2258	0.5	3.510	3	26	79.227	9.6	7.5	7.5	9.0	7.0	8.5	9.0	9.5	7.5	7.0	7.5	5.0
2259	2.0	22.230	19	59	88.091	9.1	8.5	7.5	9.0	8.0	9.5	10.0	10.0	10.0	7.0	7.5	7.0
2260	0.0	0.000			8.364	10	6	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2263	0.5	7.020	6	34	70.364	10.0	8.0	6.0	8.5	7.5	10.0	8.0	6.5	6.0	7.5	5.0	
2265	5.0	50.485	34	49	69.318	10.0	8.5	7.0	5.0	7.0	7.0	8.5	6.5	7.0	7.0	7.0	4.0
2267	2.5	26.910	23	30	91.364	9.5	10	9	8.5	10	10	10	8.0	10.0	9.0	7.5	6.0
2269	0.0	0.000		40	78.273	10.0	9.0	10.0	8.0	6.5	7.5	8.5	6.5	7.0	7.5	7.0	6.5
2271	2.5	26.910	23	40	78.000	10	8	10	9.5	8	7.5	7	6.5	6.5	7.0	6.5	7.0
2276	5.0	50.244	31	40	80.364	9	9	7.5	7	8.5	8	6.5	7.5	9.5	7.0	7.5	7.0
2280	6.5	63.125	38	60	96.318	7.2	8.0	9.5	10.0	10.0	9.5	8.5	8.5	9.5	10.0	9.5	8.0
2281	4.5	44.367	34		81.591	10.0	9.0	6.0	9.5	7.0	10.0	9.0	8.5	8.0	10.0	7.0	
2284	3.0	28.080	24	42	80.773	10.0	8.5	7.5	9.0	7.0	8.0	8.0	10.0	7.5	9.0	7.0	5.0
2285	0.0	0.000		23	70.955	9.0	9.0	9.0	8.0	7.0	8.0	8.5	7.0	6.5	7.0	5.0	0.0
2287	7.0	71.438	59	49	90.409	10.0	8.5	10.0	9.0	9.5	9.0	8.5	10.0	8.5	8.5	7.5	7.5
2288	2.5	23.400	20	34	75.682	9.5	7.5	7.0	7.5	7.5	7.5	8.5	0.0	8.5	6.5	7.5	6.5
2293	0.0	0.000	0	27	36.182	8.0	7.5	0.0	7.0	0.0	7.5	6.0	1.0	0.0	0.0	7.5	0.0
2295	2.0	22.230	19	66	74.045	10	8	8	7	7	8	8	7.5	7.5	6.0	6.5	6.0
2297	4.5	44.115	32	26	67.318	7.0	7.0	8.0	0.0	5.0	6.0	6.5	5.0	7.0	7.0	8.0	7.0
2298	1.5	15.210	13	36	69.773	7.0	7.5	7.0	6.5	6.5	7.5	7.5	6.0	7.5	9.0	7.0	0.0
2301	3.0	28.080	24	71	43.045	7.0	8.0	7.0	6.0	0.0	6.5	6.5	6.5	0.0	0.0	0.0	6.5
2306	6.5	65.761	35	78	98.955	9.2	9.5	9.5	10.0	10.0	10.0	8.5	8.5	9.5	10.0	9.5	9.0
2307	6.5	65.440	51	42	90.682	10.0	10.0	9.0	10.0	7.0	10.0	10.0	9.5	9.5	10.0	9.0	
2309	1.0	11.700	10	19	76.091	9.1	8.5	9.0	8.5	8.5	7.5	6.5	7.0	7.0	0.0	8.0	7.5

AM	Βαθμός A	Σύνολο A %	Τελικό A %	Πρόοδος %	Μ.Ο. 11 καλύτ.Εργ %	ΕΡΓ1	ΕΡΓ2	ΕΡΓ3	ΕΡΓ4	ΕΡΓ5	ΕΡΓ6	ΕΡΓ7	ΕΡΓ8	ΕΡΓ9	ΕΡΓ10	ΕΡΓ11	ΕΡΓ12
Scale			1.17	1.00													
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30	0.5	0.7	0.8	1.0	1.0	0.9	0.9	0.9	1.2	1.3	1.4	1.4
2312	3.5	32.760	28	22	72.409	10.0	7.5	6.0	8.0	7.0	8.0	6.5	5.5	7.5	6.0	7.0	7.0
2318	7.5	73.616	58	86	74.955	10.0	10.0	10.0	9.0	8.0	9.0	10.0		5.0	7.5	4.0	5.0
2319	0.0	0.000	0	53	36.182	8.3	7.5	6.0	4.0	4.0	0.0	8.0	0.0	0.0	8.0	0.0	0.0
2320	0.5	7.020	6	29	70.727	8.5	7.0	6.0	8.0		9.0	7.0	6.5	6.0	10.0	5.0	6.0
2321	7.0	72.366	55	71	86.636	8.6	9.0	9.5	9.0	7.5	7.5	8.0	8.0	8.0	8.5	8.5	8.0
2322	5.5	53.494	31	63	75.864	10	9.5	7.5	7	6.5	7.5	6.5	7.0	7.5	7.0	7.5	7.0
2324	3.0	31.590	27	41	84.909	8.5	9.0	6.0	10.0	9.0	8.5	9.0	7.5	8.0	10.0	6.0	7.0
2325	5.5	54.427	37	54	73.273	9.0	8.5	7.0	5.0	5.5	10.0	10.0	5.5	6.0	10.0	5.0	6.0
2326	5.0	50.026	31	36	82.636	10.0	9.5	8.0	6.0	6.0	8.5	7.0	10.0	8.5	9.0	6.5	8.5
2332	1.0	11.700	10	22	74.273	8.5	7.0	6.0	8.0	6.0	8.5		7.0	6.0	10.0	8.0	6.0
2335	2.0	18.720	16	17	84.227	7.6	8.5	9.0	6.5	9.0	8.5	8.0	7.5	8.0	8.0	8.5	7.5
2336	5.5	54.364	30	61	82.045	10.0	9.5	6.0	9.5	7.5	8.5	9.0	7.5	10.0	9.0	5.0	6.0
2338	8.5	86.060	69	84	96.318	9.0	10.0	6.0	9.5	10.0	8.5	10.0	10.0	9.0	10.0	10.0	8.0
2339	5.5	52.682	40	29	78.273	9.0	8.0	8.5	9.5	7.0	8.5	9.5	6.5	6.5	6.5	8.5	5.0
2342	7.0	67.789	45	70	91.545	10.0	8.5	7.5	8.0	10.0	10.0	9.5	10.0	9.0	9.0	7.5	8.0
2344	6.0	58.494	41	64	72.364	8.5	7.0	6.5	6.0	6.5	8.5	9.0	8.5	8.5	4.0	6.5	6.5
2352	1.5	12.870	11	51	68.227	8.0	7.0	7.0	6.5	0.0	6.5	6.0	0.0	9.0	9.0	8.0	6.5
2355	0.0	0.000	0	2	56.455	9.5	5.0	5.5	6.0	5.5	5.0	5.0	7.5	5.0	6.0	6.0	0.0
2356	0.0	0.000	0		3.864	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2359	2.5	24.570	21	67	87.045	9.0	8.5	9.5	7.0	9.5	8.5	8.5	9.0	8.0	9.0	8.0	7.0
2360	2.0	17.550	15	39	73.136	9.0	8.0	7.5	7.5	7.0	9.5	10.0	0.0	9.0	9.0	7.0	0.0
2362	2.5	23.400	20	48	87.227	8.9	9.5	7.5	8.5	9.0	10.0	9.5	9.5	8.0	7.0	8.0	7.0
2367	1.5	16.380	14	52	66.909	8.5	7.0	8.0	6.5	9.0	8.5	7.5	6.0	5.0	7.5	5.0	0.0
2368	2.0	22.230	19	32	58.364	9.0	6.5	7.5	6.5	7.0	8.0	7.5	4.0	5.0	5.0	4.0	1.0
2370	6.0	62.019	43	62	81.545	9.0	7.5	9.0	9.0	8.0	9.0	8.0	9.0	9.5	7.5	8.0	0.0
2371	5.0	51.183	36	51	66.409	10.0	7.0	6.5	6.0	6.5	8.0	7.0	7.0	8.5	6.5	5.0	3.0
2372	3.5	32.760	28	52	62.773	9.0	8.0	7.5	7.0	8.0	9.0	7.5	4.0	5.0	5.0	5.0	1.0
2376	1.0	9.360	8	37	66.136	9.0	6.0	6.5	7.0	7.0	8.0	7.5	6.5	8.0	6.5	5.0	0.0
2377	0.5	5.850	5	58	48.909	9.0	3.0	3.0	4.0	6.5	6.0	8.0	4.0	5.0	5.0	4.0	1.0
2378	8.0	79.271	68	66	87.636	9.0	8.0	9.0	9.5	8.0	9.0	8.5	9.0	9.5	9.5	10.0	0.0
2379	5.0	50.311	32	42	77.636	10.0	8.5	9.0	9.5	5.0	8.5	8.0	7.5	8.5	7.5	8.0	3.0
2380	2.5	24.570	21	45	73.091	9.0	8.5	8.0	8.0	7	8.5	7.5	6.5	8.5	5.0	6.5	5.0
2382	2.5	25.740	22	37	77.045	8.0	8.0	7.5	9.0	8	7.5	8.0	7.5	9.0	5.5	6.5	6.0
2383	6.5	62.995	40	79	79.318	9.0	8.0	9.0	8.0	7.5	7.5	8.5	7.0	9.0	5.5	8.5	6.0
2386	3.5	33.930	29	42	73.409	9.0	10.0	7.5	6.5	7	9.0	8.0	8.5	7.0	5.0	8.5	3.0
2389	5.0	52.323	30	66	71.909	7.0	7.5	9.0	6.5	8	7.0	8.0	8.0	8.0	5.5	8.0	0.0
2393	2.0	22.230	19	26	60.182	8	8	7	6	3	6	9	7	5	4	4	6
2394	0.5	3.510	3	50	49.818	9	8	7	7	0	6	7	0	0	6	5	4
2395	5.5	53.770	45	28	72.818	10	7	6	7	7	8	8	5	7	8	6	7
2396	3.0	28.080	24	24	73.727	9	8	8	8	0	6	9	4	8	9	6	7

AM	Βαθμός A	Σύνολο A %	Τελικό A %	Πρόοδος %	Μ.Ο. 11 καλύτ.Εργ %	ΕΡΓ1	ΕΡΓ2	ΕΡΓ3	ΕΡΓ4	ΕΡΓ5	ΕΡΓ6	ΕΡΓ7	ΕΡΓ8	ΕΡΓ9	ΕΡΓ10	ΕΡΓ11	ΕΡΓ12
Scale			1.17	1.00													
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30	0.5	0.7	0.8	1.0	1.0	0.9	0.9	0.9	1.2	1.3	1.4	1.4
2397	2.0	18.720	16	42	59.000	9	5	7	6	4	7	6	3	3	6	7	6
2398	1.5	15.210	13	25	71.636	9	8	8	8	8	7	7	7	5	7	6	6
2407	0.0	0.000		8	22.682	4.8	4.5	4.0	3.5	5.5	3.5	2.5	2.0	0.0	0.0	0.0	0.0
2409	0.0	2.340	2		13.636	6.9	6.5	0.0	3.5	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2410	1.0	10.530	9	31	64.909	8.2	7.5	7.5	7.5	5.5	5.0	8.0	5.0	6.0	7.5	6.5	3.5
2411	3.5	32.760	28	51	85.000	4.8	5.0	3.5	8.0	8.5	9.5	9.0	8.5	8.5	9.0	9.0	8.5
2412	8.0	79.236	67	59	94.136	9.6	9.5	10.0	10.0	9.0	10.0	8.0	6.5	8.5	8.5	9.5	9.5
2413	6.0	60.961	45	39	89.455	9.7	10.0	8.5	9.5	5.0	8.5	9.5	8.5	9.0	9.5	8.5	8.0
2414	0.5	3.510	3	23	75.909	9.0	4.0	7.5	8.0	7.5	8.0	8.5	5.0	8.5	7.5	6.5	6.5
2415	1.5	15.210	13	30	67.636	7.6	6.0	4.5	5.0	4.0	5.0	7.5	5.5	7.0	8.0	8.5	7.5
2418	2.0	17.550	15	32	91.000	9.1	8.5	8.5	8.5	8.0	9.5	7.5	8.0	9.0	9.5	9.0	9.0
2419	6.0	62.262	48	58	75.273	8.0	7.5	9.0	7.0	6.0	7.0	8.0	0.0	6.5	8.5	9.0	6.0
2421	2.0	18.720	16	27	69.273	8.0	7.0	7.0	6.5	4.5	6.0	6.0	6.0	6.5	8.0	8.0	6.5
2422	2.0	21.060	18	37	70.591	8.0	7.5	7.0	6.5	6.0	7.0	7.0	5.0	6.5	7.0	8.0	6.5
2424	2.0	21.060	18	44	69.773	8.0	7.0	8.0	6.0	5.0	6.5	5.5	6.5	6.5	8.0	8.0	6.0
2425	5.0	51.088	39	35	70.909	9.0	7.5	7.5	6.0	6.0	5.5	7.5	5.0	6.0	8.5	7.5	7.0
2426	2.0	18.720	16	57	74.455	6.0	7.0	8.0	6.5	0.0	7.0	7.5	7.5	6.0	9.0	8.0	8.0
2427	2.0	17.550	15	35	53.091	8.0	2.0	7.0	6.0	3.0	5.0	6.0	5.0	6.0	0.0	6.0	6.0
2428	2.0	17.550	15	49	77.727	9.0	8.0	8.0	7.5	6.5	7.0	7.0	1.0	8.0	8.0	8.5	7.5
2429	5.5	52.718	30	63	75.227	9.0	7.5	7.5	7.5	6.5	7.0	8.0	1.0	8.0	9.0	7.0	6.0
2430	1.0	9.360	8		70.591	8.0	7.0	8.0	6.5	6.0	6.5	7.0	5.0	6.0	8.0	7.5	6.5
2431	3.0	31.590	27	57	64.091	8.0	7.5	8.0	6.5	5.0	6.5	7.0	5.5	5.0	7.5	7.5	0.0
2432	1.5	15.210	13	37	67.455	9.0	7.0	7.0	7.0	6.5	7.0	6.0	5.0	5.5	6.0	6.5	7.5
2433	5.5	55.116	35	56	78.136	9.0	9.0	8.5	9.0	7.5	8.0	8.0	5.5	8.5	8.0	8.5	0.0
2434	2.0	21.060	18	40	75.864	8.5	7.5	8.0	9.0	8.0	8.0	8.0	5.5	8.0	8.0	8.0	3.0
2435	8.0	79.419	66	79	83.364	9.0	8.0	8.5	9.5	10.0	9.0	9.0	9.5	8.0	7.5	8.0	3.0
2436	1.5	14.040	12	37	72.318	8.5	8.5	8.0	9.0	7.5	6.5	8.0	5.5	8.0	7.5	6.5	3.0
2437	0.5	5.850	5	26	50.909	8.5	7.0	6.0	5.5	4.0	4.0	6.5	4.0	4.0	0.0	6.0	4.5
2438	0.0	2.340	2	9	63.545	8.0	6.5	5.5	7.5	6.5	6.5	7.5	5.0	5.0	6.5	6.5	4.5
2439	0.0	0.000		33	47.318	6.0	5.5	5.5	5.0	6.0	4.5	5.5	4.5	4.5	5.5	3.0	0.0
2440	5.0	51.846	36	37	77.955	8.5	9.0	8.0	8.5	7.0	8.0	6.0	5.0	8.0	6.5	7.5	8.5
2442	2.5	26.910	23	41	81.636	8.0	9.0	7.5	7.5	8.0	6.0	6.0	7.5	8.5	7.5	8.5	9.0
2443	7.0	72.401	66	75	62.636	8.5	7.5	6.0	7.5	6.0	7.0	7.5	4.0	7.5	6.5	5.0	0.0
2445	1.5	14.040	12	42	61.273	8.8	5.5	8.0	6.0	8.0	4.0	4.5	0.0	6.5	5.0	6.0	6.00
2446	7.0	68.758	54	79	71.227	9.7	0.0	8.0	8.5	9.0	9.0	8.0	5.0	6.0	5.0	5.5	6.00
2447	0.0	0.000			8.409	5.7	0.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
2448	3.0	28.080	24	56	70.318	8.9	9.0	9.0	8.5	9.0	7.0	5.5	5.0	5.5	5.0	6.0	6.50
2450	3.0	28.080	24	29	76.582	10.0	6.5	7.0	6.5	8.5	8.5	6.5	7.5	6.5	9.0	6.5	7.00
2451	3.0	28.080	24	58	78.136	10.0	0.0	6.0	9.0	7.5	10.0	8.0	5.0	7.5	8.5	6.5	7.00
2452	2.0	21.060	18	19	76.136	10.0	8.5	5.5	8.0	6.5	7.0	7.5	5.5	7.5	9.0	7.0	7.00

AM	Βαθμός A	Σύνολο A %	Τελικό A %	Πρόοδος %	Μ.Ο. 11 καλύτ.Εργ %	ΕΡΓ1	ΕΡΓ2	ΕΡΓ3	ΕΡΓ4	ΕΡΓ5	ΕΡΓ6	ΕΡΓ7	ΕΡΓ8	ΕΡΓ9	ΕΡΓ10	ΕΡΓ11	ΕΡΓ12
Scale			1.17	1.00													
Threshold			35.00		40.00												
Weight			0.50	0.20	0.30	0.5	0.7	0.8	1.0	1.0	0.9	0.9	0.9	1.2	1.3	1.4	1.4
2453	1.0	11.700	10	42	68.364	9.5	5.5	7.0	6.0	7.0	7.0	4.5	5.0	6.5	9.0	6.0	6.50
2454	1.0	9.360	8	39	71.750	10.0	7.5	5.5	5.5	7.0	7.5	5.5	5.0	9.0	9.0	6.5	6.00
2461	1.5	12.870	11	56	62.909	10	7.5	7	7	7.5	7	6.5	6.0	6.5	5.0	5.0	0.0
2462	0.0	0.000		18	63.545	9.5	5.5	7	6.5	6.5	7	7	6.0	7.0	5.0	7.0	0.0
2463	0.0	0.000		32	61.318	8.5	5	6.5	7	7	7	6	6.0	6.5	5.0	6.5	0.0
2464	0.5	5.850	5	24	68.000	10	7	9	7.5	8	7.5	7	6.5	6.0	7.0	5.0	0.0
2465	3.0	31.590	27	36	75.864	9.5	8	5	8.5	8.5	8.5	9	8.0	7.5	8.5	6.5	0.0
2466	1.5	15.210	13	55	60.455	8	4	8	5	6	5	6	5.0	5.0	5.0	6.0	7.0
2467	5.5	52.518	30	68	71.227	10	9	9.5	8	7	9	7.5	6.5	8.0	5.5	5.0	0.0
2468	6.0	59.393	35	63	87.727	10	10	10	10	9	10	10	7.0	8.0	8.0	8.0	5.0
2469	0.5	3.510	3	51	67.864	10	7	7	8	8.5	8	7.5	7.0	6.5	8.0	3.0	0.0
2470	3.0	31.590	27	59	93.455	9.5	7.5	9	8	8	9	9.5	9.0	10.0	9.0	8.5	10.0
2471	1.5	12.870	11	18	57.818	9	8	7	6	8	6	5	3	4	4	5	5
2474	1.0	8.190	7	24	61.727	9.0	7	7	6	7	6	5	7	4	7	7	0
2475	2.5	24.570	21	51	71.364	10	6	7	8	7	7	7	3	5	7	8	7
2477	3.0	28.080	24		77.909	8.0	5	9	7	7	8	6	9	10	9	9	0
2482	0.0	0.000		35	39.182	9.0	8	8	9	5	4	4	2	3	0	0	0
2484	0.0	0.000		27	14.818	4.0	1.0	2.0	0.0	3.0	4.0	6.0	0.0	0.0	0.0	0.0	0.0
2489	2.5	23.400	20	49	64.727	8.0	6.0	6.5	7.0	7.5	8.0	7.5	6.5	6.0	5.0	7.0	0.0
2493	5.5	56.938	49	38	68.909	7.0	7.0	8.0	8.0	7.5	7.5	7.0	7.0	6.0	6.5	7.5	0.0
2496	0.0	0.000	0	39	65.409	7.0	9.0	7.0	8.0	7.5	7.5	7.0	7.0	5.0	4.0	7.5	0.0
2497	1.5	12.870	11	56	55.045	5.5	7.5	8.0	7.0	4.5	6.0	7.0	6.0	6.5	7.5		
2498	6.5	63.396	53	56	70.636	8.5	9.5	8.0	9.0	7.0	7.0	7.5	9.0	6.0	7.5		4.5
2649	0.0	0.000			3.909	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
720 (TEM)	6.0	59.847	42	54	81.591	9.8	9.5	9.0	8.5	7.5	9.0	9.0	6.5	7.0	6.5	8.0	7.0
856 (TEM)	3.0	29.250	25	32	72.500	9.5	8.0	7.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	8.5	0.0
913 (TEM)	3.0	30.420	26	70	80.318	9.5	8.5	7.5	7.5	9.0	7.5	7.0	7.5	7.5	9.5	10.0	0.0
920 (TEM)	7.0	71.758	64	49	81.727	10.0	9.5	8.0	8.0	8.5	9.0	7.5	8.0	8.0	8.0	9.5	0.0
TEM549	5.5	56.761	35	69	74.955	0.0	5.0	7.5	6.5	6.5	8.0	7.5	8.0	8.5	8.0	6.5	6.5
TEM561	5.0	51.241	33	36	82.455	8.5	8.0	6.0	7.5	7.0	7.5	7.0	8.5	8.5	8.0	9.5	8.0
TEM582	6.5	64.485	54	47	78.318	9.5	8.0	5.0	6.5	7.0	7.5	7.5	8.0	8.5	8.0	8.5	6.5
N.V.	9.0	87.711	72	89	92.636	10.0	9.0	6.5	8.0	10.0	6.0	8.5	10.0	10.0	8.5	10.0	9.5
M.K.	0.0	0.000		21	57.773	0.0	5.0	5.5	6.0	0.0	7.0	7.0	0.0	7.0	7.5	6.5	7.0